POPULATION HEALTH
# Health services

| | **Community**<br>Bouctouche, Richibucto, Saint-Antoine Area | **Zone 1**<br>Moncton and South-East Area | **Province**<br>New Brunswick |
|---|---|---|---|

## Access to Services

| | | | |
|---|---|---|---|
| Has a primary care provider % \| 2020 | **95.2** | **91.2** | **89.9** |
|     Adults % \| 2020 | **93.7** | **89.1** | **88.0** |
|     Seniors % \| 2020 | **98.6** | **97.7** | **95.3** |
| Has a family doctor % \| 2020 | **92.8** | **89.3** | **86.0** |
| Has a nurse practitioner % \| 2020 | **2.4** | **2.3** | **4.4** |
| Does not have a primary care provider % | n/a | n/a | n/a |
|     Adults % | n/a | n/a | n/a |
|     Seniors % | n/a | n/a | n/a |

### ❤ Types of services used most often when sick or in need of care

| | | | |
|---|---|---|---|
| Family doctor % \| 2020 | **47.6** | **48.3** | **57.0** |
| After-hours clinic or walk-in clinic % \| 2020 | **22.0** | **33.9** | **20.5** |
| Hospital emergency department % \| 2020 | **15.7** | **7.4** | **10.4** |

### ❤ Types of services used

| | | | |
|---|---|---|---|
| Virtual consultation (with primary care provider, eVisitNB, Tele-Care 811, etc.) % | n/a | n/a | n/a |
| After-hours clinic or walk-in clinic % \| 2020 | **43.9** | **48.2** | **35.1** |

| | Community<br>Bouctouche, Richibucto, Saint-Antoine Area | Zone 1<br>Moncton and South-East Area | Province<br>New Brunswick |
|---|---|---|---|
| Community health centre % \| 2020 | 14.3 | 11.7 | 13.1 |
| Ambulance services % \| 2020 | 5.3 | 6.2 | 6.8 |
| Hospital emergency department % \| 2020 | 45.7 | 34.0 | 38.1 |
| Admitted to a hospital % \| 2020 | 7.9 | 11.2 | 10.5 |
| Seen a specialist for the first time % \| 2020 | 16.7 | 18.5 | 17.9 |
| Received home care services, with the cost being covered by the government % \| 2020 | 3.0 | 3.9 | 4.4 |

### 🕐 Wait time to access services

| | | | |
|---|---|---|---|
| Primary care provider - able to have an appointment within 5 days % | n/a | n/a | n/a |
| Adults % | n/a | n/a | n/a |
| Seniors % | n/a | n/a | n/a |
| Hospital emergency department - waited less than 4 hours % \| 2020 | 65.8 | 54.3 | 65.5 |
| Specialist - waited less than 1 month for a first visit % \| 2020 | 32.1 | 37.2 | 40.7 |
| Wait time to long term care home placement Days \| 2019-2020 | n/a | 88 | 70 |

### ⑦ Reason for using services

| | | | |
|---|---|---|---|
| Hospitalization following an injury Rate per 10,000 population \| 2017-2018 to 2019-2020 | 107 | 60 | 74 |
| Youth - hospitalization following an injury Rate per 10,000 population aged 17 and under \| 2017-2018 to 2019-2020 | 53 | 24 | 29 |
| Adults - hospitalization following an injury Rate per 10,000 population aged 18 to 64 \| 2017-2018 to 2019-2020 | 62 | 34 | 42 |
| Seniors - hospitalization following an injury Rate per 10,000 population aged 65 and over \| 2017-2018 to 2019-2020 | 246 | 174 | 208 |
| Hospitalization for mental health disorder Rate per 10,000 population \| 2017-2018 to 2019-2020 | 74 | 44 | 51 |
| Youth - hospitalization for mental health disorder Rate per 10,000 population aged 17 and under \| 2017-2018 to 2019-2020 | 74 | 32 | 33 |

| | Community<br>Bouctouche,<br>Richibucto, Saint-<br>Antoine Area | Zone 1<br>Moncton and<br>South-East Area | Province<br>New Brunswick |
|---|---|---|---|
| Adults - hospitalization for mental health disorder Rate per 10,000 population aged 18 to 64 \| 2017-2018 to 2019-2020 | 91 | 55 | 64 |
| Seniors - hospitalization for mental health disorder Rate per 10,000 population aged 65 and over \| 2017-2018 to 2019-2020 | 34 | 22 | 28 |
| Avoidable hospitalization Rate per 10,000 population aged 75 and under \| 2016-2017 to 2019-2020 | 69 | 44 | 52 |
| Youth - needed to see or talk to someone for a mental or emotional problem % \| 2023-2024 | 32.5 | 32.7 | 33.1 |
| Saw or talked to a health professional about their mental or emotional health, or their use of alcohol or drugs % \| 2020 | 14.2 | 17.6 | 16.1 |
| Adults % \| 2020 | 16.5 | 21.0 | 17.5 |
| Seniors % \| 2020 | 8.7 | 7.6 | 7.4 |

## ↔ Unmet needs

| | | | |
|---|---|---|---|
| Youth - who needed to see or talk to someone about their mental or emotional problem but didn't % \| 2023-2024 | 5.1 | 7.1 | 7.0 |
| Adults and seniors - who needed to see or talk to a health professional about their mental health but didn't % \| 2020 | 35.8 | 32.4 | 32.6 |
| Adults and seniors - who felt that they needed home care services, but they did not receive any % \| 2020 | 2.5 | 3.1 | 3.0 |

## 🚧 Barriers to health services

| | | | |
|---|---|---|---|
| Financial barrier in getting the health care they needed % \| 2020 | 27.5 | 28.8 | 26.5 |
| Did not fill a prescription for medicine, or skipped doses because of the cost % \| 2020 | 7.0 | 6.4 | 5.8 |
| Skipped dental care because of costs % \| 2020 | 20.1 | 22.5 | 20.6 |
| Skipped a medical test, treatment or other because of the cost % \| 2020 | 3.4 | 3.3 | 3.2 |
| Health care services not available in their area % \| 2020 | 12.5 | 10.5 | 14.0 |
| Travel over 100 kms to use a health service % \| 2020 | 26.9 | 10.2 | 17.6 |
| Transportation problems in getting health care % \| 2020 | 4.5 | 5.5 | 5.5 |

New Brunswick | Conseil de la santé
Health Council | du Nouveau-Brunswick

| | Community Bouctouche, Richibucto, Saint-Antoine Area | Zone 1 Moncton and South-East Area | Province New Brunswick |
|---|---|---|---|
| Unable to leave the house due to a health problem % | 2020 | 8.3 | 11.9 | 11.2 |
| Trouble getting medical or rehabilitation equipment or supplies % | 2020 | 2.5 | 4.0 | 4.2 |
| Trouble navigating the health system % | 2020 | 7.6 | 8.8 | 7.6 |
| Have language barrier communicating with a health professional % | 2020 | 2.3 | 3.9 | 3.8 |
| Difficulties in receiving virtual health care - accessing high-speed internet % | n/a | n/a | n/a |

### 🚧 Barriers to mental health services

| | | | |
|---|---|---|---|
| Services not available in their area % | 2020 | S | 10.9 | 13.7 |
| Wait time for the services was too long % | 2020 | S | 28.5 | 23.8 |
| Were too busy % | 2020 | S | 25.9 | 25.4 |
| Services not available at a convenient time for me % | 2020 | S | 15.0 | 16.3 |
| Could not afford the cost, or insurance did not cover enough % | 2020 | S | 24.3 | 17.7 |
| Did not know how or where to get help % | 2020 | S | 21.1 | 19.8 |
| Were concerned about what others would think % | 2020 | S | 10.0 | 15.3 |
| Thought the problem would go away on its own % | n/a | n/a | n/a |
| Other reasons % | n/a | n/a | n/a |

## Experiences with Services

### 🔍 Screening and prevention

| | | | |
|---|---|---|---|
| Newborn and infant - universal hearing screening % | 2019-2020 | n/a | 88 | 91 |
| Kindergarten children - meet immunization requirements % | 2019-2020 | n/a | 64 | 73 |
| Grade 7 female students - immunized with complete series of HPV immunization % | 2017-2018 | n/a | 83 | 75 |

| | Community Bouctouche, Richibucto, Saint-Antoine Area | Zone 1 Moncton and South-East Area | Province New Brunswick |
|---|---|---|---|
| Have seen or talked to a dental professional in the last 12 months % \| 2020 | 66.3 | 71.9 | 69.7 |
| Adults % \| 2020 | 67.8 | 73.8 | 67.0 |
| Seniors % \| 2020 | 62.6 | 66.3 | 60.0 |
| Consulted with primary care provider in the last 12 months % | n/a | n/a | n/a |
| Adults % | n/a | n/a | n/a |
| Seniors % | n/a | n/a | n/a |
| Talk to a health professional about improving health and preventing illness, always or usually % \| 2020 | 26.7 | 26.0 | 26.3 |
| Adults % \| 2020 | 24.9 | 24.9 | 25.2 |
| Seniors % \| 2020 | 30.8 | 29.6 | 28.6 |
| Flu shot in the last 12 months % \| 2020 | 37.8 | 43.0 | 46.5 |
| Adults % \| 2020 | 29.0 | 35.4 | 39.5 |
| Seniors % \| 2020 | 57.8 | 65.7 | 65.9 |
| Breast cancer screening % | n/a | n/a | n/a |
| Pap test % \| 2014 to 2017 | n/a | 68 | 65 |
| Adults - very confident in managing their health condition % \| 2020 | 34.5 | 37.8 | 40.2 |

## 👥 Communication

| | Community Bouctouche, Richibucto, Saint-Antoine Area | Zone 1 Moncton and South-East Area | Province New Brunswick |
|---|---|---|---|
| Family doctor - always explains things in a way that they can understand % \| 2020 | 81.1 | 77.7 | 75.7 |
| Primary care provider - spent enough time with them, always % | n/a | n/a | n/a |
| Primary care provider - limits the number of problems they can discuss in a visit % | n/a | n/a | n/a |
| Verbal information about condition/prescription is easy to understand, always or usually % \| 2020 | 93.6 | 92.5 | 91.7 |
| Adults % \| 2020 | 93.7 | 91.9 | 91.2 |

| | Community Bouctouche, Richibucto, Saint-Antoine Area | Zone 1 Moncton and South-East Area | Province New Brunswick |
|---|---|---|---|
| Seniors % \| 2020 | **93.4** | **94.2** | **93.3** |
| Written information about condition/prescription is hard to understand, always or usually % \| 2020 | **10.5** | **13.0** | **12.3** |
| Adults % \| 2020 | **9.5** | **12.9** | **11.9** |
| Seniors % \| 2020 | **12.8** | **13.3** | **13.1** |
| Virtual consultation - was able to communicate their health concerns as well as they would have in-person % | n/a | n/a | n/a |
| Adults % | n/a | n/a | n/a |
| Seniors % | n/a | n/a | n/a |
| Know what their prescribed medications do, strongly agree % \| 2020 | **38.9** | **50.2** | **49.6** |
| Pharmacists - help the most in understanding how to take their medications % \| 2020 | **72.7** | **72.6** | **70.1** |
| Family doctor - always helps them coordinate the care from other providers % \| 2020 | **72.7** | **69.0** | **68.7** |

## ★ Favourable rating of services received

| | Community Bouctouche, Richibucto, Saint-Antoine Area | Zone 1 Moncton and South-East Area | Province New Brunswick |
|---|---|---|---|
| Citizens - provide a favourable rating for overall health care services received % | n/a | n/a | n/a |
| Adults % | n/a | n/a | n/a |
| Seniors % | n/a | n/a | n/a |

# About this Table

Health Services are designed to prevent and treat diseases which impact population health. Access to care or services at the right place, the right time and based on the respective needs is a key aspect of quality of service that influences the health of individuals.

**Content and description**

Information on access to services, such as the types of services used most often, the reason for using the services, unmet needs and barriers to these services as well as some wait time information. Experiences with the Health Services include screening and prevention use, communication with service providers, coordination of services and evaluation of services received are also available here.

**Why is this important?**

Understanding how these health services are delivered in New Brunswick communities can help us understand the variability in health service access and quality.

**Availability of the data**

Indicators from a variety of sources are collected, organized, and analyzed by the NBHC. These data sources are used to represent the population health of New Brunswickers. Each have various levels of reliability and limitations as detailed in the Indicator pages.

The information for this data table is available for the 33 NBHC Communities, 7 Health Zones and for New Brunswick overall.

----

The Population Health data table series provides comprehensive view about the people who live, learn, work, take part in activities and in community life in this area.

**Caption**

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size

⚑ Above-average performance

⚑ Below-average performance