

Citizens who reported that they have a personal family doctor

Unit: %

Unit: %	Year 2023	Year 2022	Year 2020	Year 2017
Province New Brunswick	76.0	82.2	86.0	90.4
Health zones				
Zone 1 - Moncton and South-East Area	79.2	87.6	89.3	92.7
Zone 2 - Fundy Shore and Saint John Area	84.9	85.4	85.4	90.2
Zone 3 - Fredericton and River Valley Area	62.2	75.5	80.4	85.9
Zone 4 - Madawaska and North-West Area	58.7	70.0	84.7	90.5
Zone 5 - Restigouche Area	67.4	69.2	87.4	91.5
Zone 6 - Bathurst and Acadian Peninsula Area	81.9	83.3	90.7	92.7
Zone 7 - Miramichi Area	94.1	86.9	88.3	92.6
Communities				
Bathurst, Beresford, Petit-Rocher Area	n/a	n/a	87.5	90.2
Bouctouche, Richibucto, Saint-Antoine Area	n/a	n/a	92.8	95.8
Campbellton, Atholville, Tide Head Area	n/a	n/a	88.8	92.2
Caraquet, Paquetville, Bertrand Area	n/a	n/a	93.4	96.2
Dalhousie, Balmoral, Belledune Area	n/a	n/a	84.6	90.9
Dieppe and Memramcook	n/a	n/a	93.2	91.5
Douglas, Saint Marys, Doaktown Area	n/a	n/a	79.1	81.9
Edmundston, Rivière-Verte, Lac Baker Area	n/a	n/a	83.4	92.5
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	n/a	88.5	92.9
Fredericton	n/a	n/a	76.5	82.6
Grand Falls, Saint-Léonard, Drummond Area	n/a	n/a	93.1	90.3
Hillsborough, Riverside-Albert, Alma Area	n/a	n/a	90.0	87.4



	Year 2023	Year 2022	Year 2020	Year 2017
Kedgwick, Saint-Quentin and Grimmer	n/a	n/a	67.6	82.2
Minto, Chipman, Cambridge-Narrows Area	n/a	n/a	92.4	94.3
Miramichi, Rogersville, Blackville Area	n/a	n/a	87.8	92.1
Moncton	n/a	n/a	84.3	91.3
Nackawic, McAdam, Canterbury Area	n/a	n/a	87.8	87.9
Neguac, Alnwick, Esgenoopetitj Area	n/a	n/a	91.3	95.6
New Maryland, Kingsclear, Lincoln Area	n/a	n/a	85.2	89.7
Oromocto, Gagetown, Fredericton Junction Area	n/a	n/a	69.9	76.4
Perth-Andover, Plaster Rock, Tobique Area	n/a	n/a	89.0	89.5
Quispamsis, Rothesay, Hampton Area	n/a	n/a	90.4	92.7
Riverview and Coverdale	n/a	n/a	96.3	96.1
Sackville, Dorchester, Port Elgin Area	n/a	n/a	89.8	89.8
Saint John, Simonds and Musquash	n/a	n/a	83.0	89.0
Salisbury and Petitcodiac	n/a	n/a	97.2	95.5
Shediac, Beaubassin East and Cap-Pelé	n/a	n/a	89.4	94.3
Shippagan, Lamèque, Inkerman Area	n/a	n/a	89.2	89.7
St. George, Grand Manan, Blacks Harbour Area	n/a	n/a	80.3	81.6
St. Stephen, Saint Andrews, Campobello Island Area	n/a	n/a	84.4	89.3
Sussex, Norton, Sussex Corner Area	n/a	n/a	88.6	91.9
Tracadie and Saint-Isidore	n/a	n/a	95.3	96.5
Age				
18-64	72.8	80.4	84.0	89.1
65 and over	84.3	86.9	91.8	94.7

Gender



	Year	Year	Year	Year
Female	2023 78.9	2022 84.0	2020 n/a	2017 n/a
Male	73.0	80.2	n/a	n/a
2SLGBTQIA+ status				
2SLGBTQIA+	74.0	78.9	83.0	n/a
Language				
Most comfortable in English	75.5	n/a	n/a	n/a
Most comfortable in French	76.0	n/a	n/a	n/a
Comfortable in both English and French	79.2	n/a	n/a	n/a
Indigenous identity				
Indigenous	78.9	72.7	86.9	88.4
Immigrant				
Immigrants	43.2	69.0	66.3	77.8
Education level				
High school or less	77.5	82.6	86.1	90.3
Postsecondary	75.5	82.1	86.1	90.5
Disability or special need				
Disability or special need	81.0	n/a	n/a	n/a
Household income				
Less than \$30,000	70.6	n/a	n/a	n/a
\$30,000 to less than \$60,000	73.7	n/a	n/a	n/a
\$60,000 or more	79.9	n/a	n/a	n/a
Racialized groups				
Racialized groups	43.7	n/a	n/a	n/a



About

This indicator is the percentage of citizens who reported that they have a personal family doctor.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Do you have a personal family doctor? A personal family doctor manages your medical file. This does not include specialists or doctors you would see at an after-hours clinic or a walk-in clinic. This does not include a temporary doctor who you may have consulted while waiting for a permanent family doctor, for example when using NB Health Link

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small subpopulations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Higher is better	PH_ACCFA_1

Caption

n/a = Not applicable / not available

 $\ensuremath{\mathsf{S}}$ = Data suppressed due to confidentiality requirements and/or small sample size