

Citizens who have a personal family doctor

Unit : %

	Year 2020	Year 2017	Year 2014	Year 2011
Province				
New Brunswick	86.0	90.4	92.1	92.6
Health zones				
Zone 1 - Moncton and South-East Area	89.3	92.7	95.4	92.0
Zone 2 - Fundy Shore and Saint John Area	85.4	90.2	91.5	90.7
Zone 3 - Fredericton and River Valley Area	80.4	85.9	87.3	92.6
Zone 4 - Madawaska and North-West Area	84.7	90.5	92.3	95.7
Zone 5 - Restigouche Area	87.4	91.5	92.4	96.4
Zone 6 - Bathurst and Acadian Peninsula Area	90.7	92.7	93.5	93.1
Zone 7 - Miramichi Area	88.3	92.6	94.4	94.8
Communities				
Bathurst, Beresford, Petit-Rocher Area	87.5	90.2	94.9	96.8
Bouctouche, Richibucto, Saint-Antoine Area	92.8	95.8	97.0	95.7
Campbellton, Atholville, Tide Head Area	88.8	92.2	94.6	95.7
Caraquet, Paquetville, Bertrand Area	93.4	96.2	97.2	92.4
Dalhousie, Balmoral, Belledune Area	84.6	90.9	90.3	97.1
Dieppe and Memramcook	93.2	91.5	92.6	95.1
Douglas, Saint Marys, Doaktown Area	79.1	81.9	93.1	94.3
Edmundston, Rivière-Verte, Lac Baker Area	83.4	92.5	93.9	95.0
Florenceville-Bristol, Woodstock, Wakefield Area	88.5	92.9	92.6	98.1
Fredericton	76.5	82.6	83.8	89.8
Grand Bay-Westfield, Westfield, Greenwich Area	91.4	96.7	95.2	92.8

	Year 2020	Year 2017	Year 2014	Year 2011
Grand Falls, Saint-Léonard, Drummond Area	93.1	90.3	92.1	97.9
Hillsborough, Riverside-Albert, Alma Area	90.0	87.4	94.8	83.5
Kedgwick, Saint-Quentin and Grimmer	67.6	82.2	84.9	93.2
Minto, Chipman, Cambridge-Narrows Area	92.4	94.3	90.6	95.1
Miramichi, Rogersville, Blackville Area	87.8	92.1	93.4	94.4
Moncton	84.3	91.3	96.5	89.5
Nackawic, McAdam, Canterbury Area	87.8	87.9	95.1	94.2
Neguac, Alnwick, Esgenoopetitj Area	91.3	95.6	98.7	96.8
New Maryland, Kingsclear, Lincoln Area	85.2	89.7	86.8	94.8
Oromocto, Gagetown, Fredericton Junction Area	69.9	76.4	76.6	81.8
Perth-Andover, Plaster Rock, Tobique Area	89.0	89.5	91.8	94.5
Quispamsis, Rothesay, Hampton Area	90.4	92.7	93.3	92.1
Riverview and Coverdale	96.3	96.1	97.2	90.7
Sackville, Dorchester, Port Elgin Area	89.8	89.8	90.9	95.3
Saint John, Simonds and Musquash	83.0	89.0	89.3	88.7
Salisbury and Petitcodiac	97.2	95.5	97.4	97.7
Shediac, Beaubassin East and Cap-Pelé	89.4	94.3	93.9	93.5
Shippagan, Lamèque, Inkerman Area	89.2	89.7	84.2	86.9
St. George, Grand Manan, Blacks Harbour Area	80.3	81.6	85.6	84.9
St. Stephen, Saint Andrews, Campobello Island Area	84.4	89.3	93.6	97.0
Sussex, Norton, Sussex Corner Area	88.6	91.9	96.0	92.9
Tracadie and Saint-Isidore	95.3	96.5	96.6	91.5
Age				
18-64	84.0	89.1	91.1	91.7

	Year 2020	Year 2017	Year 2014	Year 2011
65 and over	91.8	94.7	95.8	96.5
Sex at birth				
Female	88.1	92.3	93.5	94.4
Male	83.8	88.4	90.5	90.5
Sexual identity				
Minority sexual identity	83.0	n/a	n/a	n/a
Heterosexual	86.3	n/a	n/a	n/a
Language				
Preferred language of service: English	85.2	89.9	91.4	93.4
Preferred language of service: French	88.6	91.1	93.8	96.0
Indigenous identity				
Indigenous	86.9	88.4	90.6	87.5
Non-Indigenous	86.0	90.6	92.2	92.7
Immigrant				
Immigrants	66.3	77.8	n/a	n/a
Non-immigrants	87.6	91.1	n/a	n/a
Education level				
High school or less	86.1	90.3	91.5	91.9
Postsecondary	86.1	90.5	92.5	93.1
Household income				
Less than \$25,000	82.2	86.7	90.4	91.7
\$25,000 to less than \$60,000	85.0	89.8	92.6	92.7
\$60,000 or more	88.5	92.5	92.5	92.7

	Year 2020	Year 2017	Year 2014	Year 2011
Persons with a disability				
Without disability	85.0	89.6	91.8	n/a
With disability	89.3	93.2	93.3	n/a

About

This indicator is the percentage of citizens who have a personal family doctor.

Source

Primary Health Survey

Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Do you have a personal family doctor?

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit

%

Interpretation

Higher is better

NBHC code

PH_ACCFA_1

Caption

n/a = Not applicable / not available

S = Data was suppressed due to low respondent counts