

Men who reported having had 5 or more drinks on one occasion at least once per month in the past 12 months

Unit : %

	Year 2020
Province	
New Brunswick	31.4
Health zones	
Zone 1 - Moncton and South-East Area	32.3
Zone 2 - Fundy Shore and Saint John Area	33.8
Zone 3 - Fredericton and River Valley Area	28.7
Zone 4 - Madawaska and North-West Area	35.5
Zone 5 - Restigouche Area	36.0
Zone 6 - Bathurst and Acadian Peninsula Area	30.2
Zone 7 - Miramichi Area	30.0
Communities	
Bathurst, Beresford, Petit-Rocher Area	31.2
Bouctouche, Richibucto, Saint-Antoine Area	32.0
Campbellton, Atholville, Tide Head Area	35.9
Caraquet, Paquetville, Bertrand Area	40.0
Dalhousie, Balmoral, Belledune Area	27.9
Dieppe and Memramcook	32.1
Douglas, Saint Marys, Doaktown Area	31.8
Edmundston, Rivière-Verte, Lac Baker Area	38.5
Florenceville-Bristol, Woodstock, Wakefield Area	28.4
Fredericton	25.6
Grand Bay-Westfield, Westfield, Greenwich Area	30.4

	Year 2020
Grand Falls, Saint-Léonard, Drummond Area	30.6
Hillsborough, Riverside-Albert, Alma Area	23.2
Kedgwick, Saint-Quentin and Grimmer	35.5
Minto, Chipman, Cambridge-Narrows Area	39.2
Miramichi, Rogersville, Blackville Area	26.4
Moncton	29.0
Nackawic, McAdam, Canterbury Area	25.7
Neguac, Alnwick, Esgenoopetitj Area	31.1
New Maryland, Kingsclear, Lincoln Area	27.3
Oromocto, Gagetown, Fredericton Junction Area	28.0
Perth-Andover, Plaster Rock, Tobique Area	29.3
Quispamsis, Rothesay, Hampton Area	31.5
Riverview and Coverdale	40.7
Sackville, Dorchester, Port Elgin Area	36.3
Saint John, Simonds and Musquash	31.7
Salisbury and Petitcodiac	36.5
Shediac, Beaubassin East and Cap-Pelé	34.3
Shippagan, Lamèque, Inkerman Area	23.3
St. George, Grand Manan, Blacks Harbour Area	35.9
St. Stephen, Saint Andrews, Campobello Island Area	31.8
Sussex, Norton, Sussex Corner Area	30.6
Tracadie and Saint-Isidore	25.3
Age	
18-64	35.1

	Year 2020
65 and over	17.7
<hr/>	
Sex at birth	
Female	n/a
Male	30.5
<hr/>	
Sexual identity	
Minority sexual identity	29.2
Heterosexual	30.6
<hr/>	
Language	
Preferred language of service: English	29.9
Preferred language of service: French	33.6
<hr/>	
Indigenous identity	
Indigenous	39.8
Non-Indigenous	30.3
<hr/>	
Immigrant	
Immigrants	18.0
Non-immigrants	32.6
<hr/>	
Education level	
High school or less	29.0
Postsecondary	32.1
<hr/>	
Household income	
Less than \$25,000	22.2
\$25,000 to less than \$60,000	30.7
\$60,000 or more	34.7

Year
2020

Persons with a disability

Without disability	33.7
With disability	23.5

About

This indicator is the percentage of men who reported having had 5 or more drinks on one occasion at least once per month in the past 12 months.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is based on respondents who are men . This indicator is calculated by dividing the number of respondents who answered "once a month, 2 to 3 times a month, once a week, 2 to 5 times a week, daily or almost daily" by the number of respondents who answered "I have never done this, I did not have 5 (for men)/4 (for women) or more drinks on one occasion in the last 12 months, less than once a month, once a month, 2 to 3 times a month, once a week, 2 to 5 times a week or daily or almost daily" to the question: How often in the past 12 months have you had, 4 for women and 5 for men, or more drinks on one occasion?

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit

%

Interpretation

Lower is better

NBHC code

PH_ALC01_1

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size