

[DISCONTINUED] Citizens with a family doctor who reported that their family doctor always involves them in decisions about their health care

Unit : %

	Year 2020	Year 2017	Year 2014	Year 2011
Province				
New Brunswick	71.8	68.3	68.9	64.7
Health zones				
Zone 1 - Moncton and South-East Area	71.7	72.7	70.5	63.0
Zone 2 - Fundy Shore and Saint John Area	77.5	75.2	74.8	72.0
Zone 3 - Fredericton and River Valley Area	75.8	72.9	75.0	71.0
Zone 4 - Madawaska and North-West Area	61.2	52.4	53.8	56.7
Zone 5 - Restigouche Area	62.3	57.7	58.6	58.6
Zone 6 - Bathurst and Acadian Peninsula Area	64.1	49.6	52.5	49.3
Zone 7 - Miramichi Area	70.2	61.3	67.8	62.7
Communities				
Bathurst, Beresford, Petit-Rocher Area	63.9	56.3	58.4	54.2
Bouctouche, Richibucto, Saint-Antoine Area	71.7	69.7	66.1	57.9
Campbellton, Atholville, Tide Head Area	62.6	59.2	58.2	53.6
Caraquet, Paquetville, Bertrand Area	62.9	43.0	50.0	45.0
Dalhousie, Balmoral, Belledune Area	62.0	56.4	59.0	62.8
Dieppe and Memramcook	69.6	75.8	73.9	59.4
Douglas, Saint Marys, Doaktown Area	72.3	70.3	69.3	67.0
Edmundston, Rivière-Verte, Lac Baker Area	58.8	52.1	52.2	54.7
Florenceville-Bristol, Woodstock, Wakefield Area	76.6	74.1	73.7	70.4
Fredericton	72.2	69.5	76.8	71.5
Grand Bay-Westfield, Westfield, Greenwich Area	67.8	74.4	79.4	74.5

	Year 2020	Year 2017	Year 2014	Year 2011
Grand Falls, Saint-Léonard, Drummond Area	62.3	56.3	57.7	61.0
Hillsborough, Riverside-Albert, Alma Area	80.2	73.5	74.4	67.5
Kedgwick, Saint-Quentin and Grimmer	70.7	39.5	49.9	52.1
Minto, Chipman, Cambridge-Narrows Area	69.8	76.2	72.8	68.5
Miramichi, Rogersville, Blackville Area	71.1	65.4	70.2	63.7
Moncton	72.9	72.7	70.6	63.7
Nackawic, McAdam, Canterbury Area	71.3	71.1	73.9	72.7
Neguac, Alnwick, Esgenoopetitj Area	65.2	39.8	57.6	58.6
New Maryland, Kingsclear, Lincoln Area	84.0	79.6	73.7	73.1
Oromocto, Gagetown, Fredericton Junction Area	80.6	76.5	79.2	66.3
Perth-Andover, Plaster Rock, Tobique Area	87.7	67.3	77.7	74.5
Quispamsis, Rothesay, Hampton Area	82.3	78.9	75.7	71.9
Riverview and Coverdale	72.6	70.2	69.4	67.5
Sackville, Dorchester, Port Elgin Area	74.3	78.1	74.4	67.1
Saint John, Simonds and Musquash	76.4	73.6	75.3	73.3
Salisbury and Petitcodiac	73.3	71.0	72.8	69.5
Shediac, Beaubassin East and Cap-Pelé	67.5	72.3	68.4	59.8
Shippagan, Lamèque, Inkerman Area	62.6	44.1	43.7	45.6
St. George, Grand Manan, Blacks Harbour Area	74.5	70.9	69.5	69.0
St. Stephen, Saint Andrews, Campobello Island Area	78.1	76.2	70.6	71.9
Sussex, Norton, Sussex Corner Area	74.1	75.4	74.9	68.2
Tracadie and Saint-Isidore	66.5	47.1	49.4	45.4
Age				
18-64	72.6	70.0	70.3	65.2

	Year 2020	Year 2017	Year 2014	Year 2011
65 and over	68.9	63.7	63.9	63.4
Sex at birth				
Female	71.5	68.5	68.3	65.7
Male	71.3	68.0	69.6	63.5
Sexual identity				
Minority sexual identity	66.0	n/a	n/a	n/a
Heterosexual	72.3	n/a	n/a	n/a
Language				
Preferred language of service: English	74.4	73.5	73.8	69.0
Preferred language of service: French	64.4	52.8	54.0	50.9
Indigenous identity				
Indigenous	66.7	62.9	62.5	59.2
Non-Indigenous	72.0	68.5	69.1	64.9
Immigrant				
Immigrants	68.5	69.5	n/a	n/a
Non-immigrants	71.3	68.2	n/a	n/a
Education level				
High school or less	68.3	62.9	64.0	61.4
Postsecondary	73.3	71.8	71.9	67.5
Household income				
Less than \$25,000	63.5	61.4	58.1	57.8
\$25,000 to less than \$60,000	70.0	64.9	67.6	64.5
\$60,000 or more	74.7	74.3	74.8	69.0

	Year 2020	Year 2017	Year 2014	Year 2011
Persons with a disability				
Without disability	73.8	70.0	70.4	n/a
With disability	65.2	63.4	64.2	n/a

About

This indicator is the percentage of citizens [with a family doctor] who reported that their family doctor always involves them in decisions about their health care.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is based on respondents who have a family doctor . This indicator is calculated by dividing the number of respondents who answered "always" by the number of respondents who answered "never, rarely, sometimes, usually or always" to the question: When you need care or treatment, how often does your family doctor or nurse practitioner involve you in decisions about your health care?

Notes

Due to changes in content and methodology, this indicator has been discontinued. The following indicator(s) are related to this one and can be typed into the indicator search box on our website: PC_CEXDH_1. The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	NBHC code
%	PH_APPFA_1

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size