

Citizens who reported that they have been diagnosed or treated for high blood pressure or hypertension

Unit : %

	Year 2023	Year 2022	Year 2020	Year 2017
Province				
New Brunswick	29.0	29.8	29.8	26.1
Health zones				
Zone 1 - Moncton and South-East Area	28.1	27.1	26.0	23.4
Zone 2 - Fundy Shore and Saint John Area	29.0	28.5	30.1	25.6
Zone 3 - Fredericton and River Valley Area	25.9	29.0	28.9	26.6
Zone 4 - Madawaska and North-West Area	28.3	34.3	27.8	22.9
Zone 5 - Restigouche Area	33.4	34.3	38.4	33.2
Zone 6 - Bathurst and Acadian Peninsula Area	33.0	33.8	31.7	30.4
Zone 7 - Miramichi Area	37.8	36.8	43.3	31.1
Communities				
Bathurst, Beresford, Petit-Rocher Area	n/a	n/a	33.9	32.1
Bouctouche, Richibucto, Saint-Antoine Area	n/a	n/a	25.9	25.4
Campbellton, Atholville, Tide Head Area	n/a	n/a	38.1	34.1
Caraquet, Paquetville, Bertrand Area	n/a	n/a	27.8	27.1
Dalhousie, Balmoral, Belledune Area	n/a	n/a	38.6	32.4
Dieppe and Memramcook	n/a	n/a	22.5	18.8
Douglas, Saint Marys, Doaktown Area	n/a	n/a	28.3	23.5
Edmundston, Rivière-Verte, Lac Baker Area	n/a	n/a	28.9	21.9
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	n/a	39.7	33.2
Fredericton	n/a	n/a	24.5	23.3
Grand Falls, Saint-Léonard, Drummond Area	n/a	n/a	26.8	25.8

	Year 2023	Year 2022	Year 2020	Year 2017
Hillsborough, Riverside-Albert, Alma Area	n/a	n/a	31.6	30.9
Kedgwick, Saint-Quentin and Grimmer	n/a	n/a	25.1	20.3
Minto, Chipman, Cambridge-Narrows Area	n/a	n/a	37.5	33.6
Miramichi, Rogersville, Blackville Area	n/a	n/a	42.3	29.8
Moncton	n/a	n/a	24.8	21.6
Nackawic, McAdam, Canterbury Area	n/a	n/a	40.8	33.7
Neguac, Alnwick, Esgenoopetitj Area	n/a	n/a	43.9	38.1
New Maryland, Kingsclear, Lincoln Area	n/a	n/a	23.5	24.2
Oromocto, Gagetown, Fredericton Junction Area	n/a	n/a	19.7	25.4
Perth-Andover, Plaster Rock, Tobique Area	n/a	n/a	38.6	26.6
Quispamsis, Rothesay, Hampton Area	n/a	n/a	26.3	21.3
Riverview and Coverdale	n/a	n/a	27.3	24.4
Sackville, Dorchester, Port Elgin Area	n/a	n/a	30.4	30.5
Saint John, Simonds and Musquash	n/a	n/a	31.5	26.0
Salisbury and Petitcodiac	n/a	n/a	29.5	24.4
Shediac, Beaubassin East and Cap-Pelé	n/a	n/a	28.8	26.2
Shippagan, Lamèque, Inkerman Area	n/a	n/a	31.0	30.9
St. George, Grand Manan, Blacks Harbour Area	n/a	n/a	30.0	31.4
St. Stephen, Saint Andrews, Campobello Island Area	n/a	n/a	29.5	28.3
Sussex, Norton, Sussex Corner Area	n/a	n/a	31.9	26.2
Tracadie and Saint-Isidore	n/a	n/a	31.4	29.7
Age				
18-64	20.2	20.9	20.5	18.0
65 and over	52.4	53.3	54.1	51.3

	Year 2023	Year 2022	Year 2020	Year 2017
Gender				
Female	26.6	28.2	n/a	n/a
Male	31.5	31.1	n/a	n/a
2SLGBTQIA+ status				
2SLGBTQIA+	13.9	20.9	17.3	n/a
Language				
Most comfortable in English	29.6	n/a	n/a	n/a
Most comfortable in French	26.7	n/a	n/a	n/a
Comfortable in both English and French	28.7	n/a	n/a	n/a
Indigenous identity				
Indigenous	38.3	32.5	28.9	29.4
Immigrant				
Immigrants	18.0	23.5	18.2	18.5
Education level				
High school or less	35.4	38.1	36.2	33.1
Postsecondary	26.4	26.2	25.3	21.5
Disability or special need				
Disability or special need	41.5	n/a	n/a	n/a
Household income				
Less than \$30,000	35.3	n/a	n/a	n/a
\$30,000 to less than \$60,000	31.2	n/a	n/a	n/a
\$60,000 or more	25.4	n/a	n/a	n/a
Racialized groups				

	Year 2023	Year 2022	Year 2020	Year 2017
Racialized groups	15.9	n/a	n/a	n/a

About

This indicator is the percentage of citizens who reported that they have been diagnosed or treated for high blood pressure or hypertension.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Has any health professional ever diagnosed you with or treated you for any of the following chronic health conditions: k) High blood pressure or hypertension

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Lower is better	PH_CHCHB_1

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size