

## Citizens who reported that they have been diagnosed or treated for high cholesterol

Unit : %

	Year 2023	Year 2022	Year 2020	Year 2017
<b>Province</b>				
New Brunswick	21.7	21.3	20.7	20.0
<b>Health zones</b>				
Zone 1 - Moncton and South-East Area	19.7	18.8	18.3	17.9
Zone 2 - Fundy Shore and Saint John Area	22.8	21.5	20.9	19.2
Zone 3 - Fredericton and River Valley Area	18.5	20.8	18.4	19.4
Zone 4 - Madawaska and North-West Area	25.7	25.8	21.5	20.8
Zone 5 - Restigouche Area	30.1	27.2	25.3	23.2
Zone 6 - Bathurst and Acadian Peninsula Area	25.5	23.2	24.0	22.8
Zone 7 - Miramichi Area	24.3	24.3	33.3	26.8
<b>Communities</b>				
Bathurst, Beresford, Petit-Rocher Area	n/a	n/a	23.6	24.0
Bouctouche, Richibucto, Saint-Antoine Area	n/a	n/a	20.4	22.0
Campbellton, Atholville, Tide Head Area	n/a	n/a	25.5	26.0
Caraquet, Paquetville, Bertrand Area	n/a	n/a	23.9	19.8
Dalhousie, Balmoral, Belledune Area	n/a	n/a	25.1	20.8
Dieppe and Memramcook	n/a	n/a	15.8	13.9
Douglas, Saint Marys, Doaktown Area	n/a	n/a	17.7	18.4
Edmundston, Rivière-Verte, Lac Baker Area	n/a	n/a	21.8	20.8
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	n/a	22.1	22.2
Fredericton	n/a	n/a	17.0	17.3
Grand Falls, Saint-Léonard, Drummond Area	n/a	n/a	22.1	23.4

	Year 2023	Year 2022	Year 2020	Year 2017
Hillsborough, Riverside-Albert, Alma Area	n/a	n/a	23.9	24.9
Kedgwick, Saint-Quentin and Grimmer	n/a	n/a	18.4	14.5
Minto, Chipman, Cambridge-Narrows Area	n/a	n/a	25.3	24.8
Miramichi, Rogersville, Blackville Area	n/a	n/a	33.5	26.3
Moncton	n/a	n/a	15.9	15.8
Nackawic, McAdam, Canterbury Area	n/a	n/a	23.4	23.6
Neguac, Alnwick, Esgenoopetitj Area	n/a	n/a	29.3	29.9
New Maryland, Kingsclear, Lincoln Area	n/a	n/a	14.4	17.1
Oromocto, Gagetown, Fredericton Junction Area	n/a	n/a	14.5	20.6
Perth-Andover, Plaster Rock, Tobique Area	n/a	n/a	24.7	20.6
Quispamsis, Rothesay, Hampton Area	n/a	n/a	18.1	17.4
Riverview and Coverdale	n/a	n/a	22.7	19.8
Sackville, Dorchester, Port Elgin Area	n/a	n/a	23.5	18.3
Saint John, Simonds and Musquash	n/a	n/a	20.5	17.1
Salisbury and Petitcodiac	n/a	n/a	22.5	17.2
Shediac, Beaubassin East and Cap-Pelé	n/a	n/a	19.3	21.5
Shippagan, Lamèque, Inkerman Area	n/a	n/a	23.1	21.8
St. George, Grand Manan, Blacks Harbour Area	n/a	n/a	27.3	25.5
St. Stephen, Saint Andrews, Campobello Island Area	n/a	n/a	20.4	24.4
Sussex, Norton, Sussex Corner Area	n/a	n/a	22.9	22.3
Tracadie and Saint-Isidore	n/a	n/a	25.7	23.9
<b>Age</b>				
18-64	14.4	13.7	13.1	13.2
65 and over	41.1	41.7	41.7	41.0

	Year 2023	Year 2022	Year 2020	Year 2017
<b>Gender</b>				
Female	18.2	18.3	n/a	n/a
Male	25.5	24.5	n/a	n/a
<b>2SLGBTQIA+ status</b>				
2SLGBTQIA+	8.6	13.1	13.5	n/a
<b>Language</b>				
Most comfortable in English	21.8	n/a	n/a	n/a
Most comfortable in French	21.5	n/a	n/a	n/a
Comfortable in both English and French	21.2	n/a	n/a	n/a
<b>Indigenous identity</b>				
Indigenous	25.0	21.2	19.8	21.4
<b>Immigrant</b>				
Immigrants	11.6	21.0	13.4	13.4
<b>Education level</b>				
High school or less	26.6	26.5	26.4	25.9
Postsecondary	19.6	19.1	17.1	16.0
<b>Disability or special need</b>				
Disability or special need	25.5	n/a	n/a	n/a
<b>Household income</b>				
Less than \$30,000	24.8	n/a	n/a	n/a
\$30,000 to less than \$60,000	22.9	n/a	n/a	n/a
\$60,000 or more	18.9	n/a	n/a	n/a
<b>Racialized groups</b>				

---

	Year 2023	Year 2022	Year 2020	Year 2017
Racialized groups	14.1	n/a	n/a	n/a

---

## About

This indicator is the percentage of citizens who reported that they have been diagnosed or treated for high cholesterol.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Has any health professional ever diagnosed you with or treated you for any of the following chronic health conditions: m) High cholesterol

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Lower is better	PH_CHCHC_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size