Citizens who reported that they have been diagnosed or treated for high cholesterol

Unit:%

	Year 2022	Year 2020	Year 2017
Province			
New Brunswick	21.3	20.7	20.0
Health zones			
Zone 1 - Moncton and South-East Area	18.8	18.3	17.9
Zone 2 - Fundy Shore and Saint John Area	21.5	20.9	19.2
Zone 3 - Fredericton and River Valley Area	20.8	18.4	19.4
Zone 4 - Madawaska and North-West Area	25.8	21.5	20.8
Zone 5 - Restigouche Area	27.2	25.3	23.2
Zone 6 - Bathurst and Acadian Peninsula Area	23.2	24.0	22.8
Zone 7 - Miramichi Area	24.3	33.3	26.8
Communities			
Bathurst, Beresford, Petit-Rocher Area	n/a	23.6	24.0
Bouctouche, Richibucto, Saint-Antoine Area	n/a	20.4	22.0
Campbellton, Atholville, Tide Head Area	n/a	25.5	26.0
Caraquet, Paquetville, Bertrand Area	n/a	23.9	19.8
Dalhousie, Balmoral, Belledune Area	n/a	25.1	20.8
Dieppe and Memramcook	n/a	15.8	13.9
Douglas, Saint Marys, Doaktown Area	n/a	17.7	18.4
Edmundston, Rivière-Verte, Lac Baker Area	n/a	21.8	20.8
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	22.1	22.2
Fredericton	n/a	17.0	17.3



	Year 2022	Year 2020	Year 2017
Grand Falls, Saint-Léonard, Drummond Area	n/a	22.1	23.4
Hillsborough, Riverside-Albert, Alma Area	n/a	23.9	24.9
Kedgwick, Saint-Quentin and Grimmer	n/a	18.4	14.5
Minto, Chipman, Cambridge-Narrows Area	n/a	25.3	24.8
Miramichi, Rogersville, Blackville Area	n/a	33.5	26.3
Moncton	n/a	15.9	15.8
Nackawic, McAdam, Canterbury Area	n/a	23.4	23.6
Neguac, Alnwick, Esgenoopetitj Area	n/a	29.3	29.9
New Maryland, Kingsclear, Lincoln Area	n/a	14.4	17.1
Oromocto, Gagetown, Fredericton Junction Area	n/a	14.5	20.6
Perth-Andover, Plaster Rock, Tobique Area	n/a	24.7	20.6
Quispamsis, Rothesay, Hampton Area	n/a	18.1	17.4
Riverview and Coverdale	n/a	22.7	19.8
Sackville, Dorchester, Port Elgin Area	n/a	23.5	18.3
Saint John, Simonds and Musquash	n/a	20.5	17.1
Salisbury and Petitcodiac	n/a	22.5	17.2
Shediac, Beaubassin East and Cap-Pelé	n/a	19.3	21.5
Shippagan, Lamèque, Inkerman Area	n/a	23.1	21.8
St. George, Grand Manan, Blacks Harbour Area	n/a	27.3	25.5
St. Stephen, Saint Andrews, Campobello Island Area	n/a	20.4	24.4
Sussex, Norton, Sussex Corner Area	n/a	22.9	22.3
Tracadie and Saint-Isidore	n/a	25.7	23.9
Age			
19.64	40 7	42.4	42.0

18-64	13.7	13.1	13.2

Citizens who reported that they have been diagnosed or treated for hig...



	Year 2022	Year 2020	Year 2017
65 and over	41.7	41.7	41.0
Gender			
Female	18.3	n/a	n/a
Male	24.5	n/a	n/a
Sexual identity			
Minority sexual identity	13.1	13.5	n/a
Heterosexual	21.2	20.9	n/a
Language			
Preferred language of service: English	n/a	20.6	20.2
Preferred language of service: French	n/a	20.1	19.0
Indigenous identity			
Indigenous	21.2	19.8	21.4
Non-Indigenous	21.3	20.6	19.9
Immigrant			
Immigrants	21.0	13.4	13.4
Non-immigrants	21.3	20.8	20.3
Education level			
High school or less	26.5	26.4	25.9
Postsecondary	19.1	17.1	16.0
Household income			
Less than \$25,000	27.8	27.2	22.7
\$25,000 to less than \$60,000	24.3	22.9	22.5
\$60,000 or more	17.7	16.0	16.1

Data downloaded from the NBHC website on April 26, 2024 More information available at: https://nbhc.ca/indicators/ph_chchc_1

Citizens who	reported t	hat they have	been diagnosed	or treated for hig
--------------	------------	---------------	----------------	--------------------



	Year 2022	Year 2020	Year 2017
Persons with a disability			
Without disability	18.7	16.8	16.4
With disability	28.3	31.9	32.1



About

This indicator is the percentage of citizens who reported that they have been diagnosed or treated for high cholesterol.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Has any health professional ever diagnosed you with or treated you for any of the following chronic health conditions: m) High cholesterol

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit % Interpretation Lower is better NBHC code PH_CHCHC_1

Caption

n/a = Not applicable / not available S = Data suppressed due to confidentiality requirements and/or small sample size