

## Citizens who reported that they have been diagnosed or treated for a mood disorder other than depression, such as bipolar disorder, mania, manic depression, or dysthymia

Unit : %

	Year 2023	Year 2022	Year 2020	Year 2017
<b>Province</b>				
New Brunswick	4.2	4.6	3.2	3.0
<b>Health zones</b>				
Zone 1 - Moncton and South-East Area	4.2	4.8	3.4	3.1
Zone 2 - Fundy Shore and Saint John Area	3.0	4.1	3.4	3.2
Zone 3 - Fredericton and River Valley Area	5.7	6.0	2.9	2.9
Zone 4 - Madawaska and North-West Area	3.3	3.8	4.3	2.3
Zone 5 - Restigouche Area	1.8	1.7	4.2	3.4
Zone 6 - Bathurst and Acadian Peninsula Area	4.0	3.9	2.4	3.0
Zone 7 - Miramichi Area	5.9	3.5	2.2	1.8
<b>Communities</b>				
Bathurst, Beresford, Petit-Rocher Area	n/a	n/a	3.0	2.3
Bouctouche, Richibucto, Saint-Antoine Area	n/a	n/a	2.9	2.2
Campbellton, Atholville, Tide Head Area	n/a	n/a	4.1	2.6
Caraquet, Paquetville, Bertrand Area	n/a	n/a	2.9	2.7
Dalhousie, Balmoral, Belledune Area	n/a	n/a	4.3	4.1
Dieppe and Memramcook	n/a	n/a	3.3	2.2
Douglas, Saint Marys, Doaktown Area	n/a	n/a	2.5	5.6
Edmundston, Rivière-Verte, Lac Baker Area	n/a	n/a	3.5	2.5
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	n/a	3.0	1.3
Fredericton	n/a	n/a	3.1	3.1

	Year 2023	Year 2022	Year 2020	Year 2017
Grand Falls, Saint-Léonard, Drummond Area	n/a	n/a	5.7	1.8
Hillsborough, Riverside-Albert, Alma Area	n/a	n/a	S	S
Kedgwick, Saint-Quentin and Grimmer	n/a	n/a	4.4	2.9
Minto, Chipman, Cambridge-Narrows Area	n/a	n/a	S	3.6
Miramichi, Rogersville, Blackville Area	n/a	n/a	2.1	1.8
Moncton	n/a	n/a	4.0	4.1
Nackawic, McAdam, Canterbury Area	n/a	n/a	3.5	2.3
Neguac, Alnwick, Esgenoopetitj Area	n/a	n/a	S	S
New Maryland, Kingsclear, Lincoln Area	n/a	n/a	S	1.9
Oromocto, Gagetown, Fredericton Junction Area	n/a	n/a	4.8	3.1
Perth-Andover, Plaster Rock, Tobique Area	n/a	n/a	3.1	4.5
Quispamsis, Rothesay, Hampton Area	n/a	n/a	S	1.9
Riverview and Coverdale	n/a	n/a	2.6	4.1
Sackville, Dorchester, Port Elgin Area	n/a	n/a	2.2	2.0
Saint John, Simonds and Musquash	n/a	n/a	5.6	4.4
Salisbury and Petitcodiac	n/a	n/a	S	0.0
Shediac, Beaubassin East and Cap-Pelé	n/a	n/a	3.4	2.6
Shippagan, Lamèque, Inkerman Area	n/a	n/a	S	3.2
St. George, Grand Manan, Blacks Harbour Area	n/a	n/a	1.2	S
St. Stephen, Saint Andrews, Campobello Island Area	n/a	n/a	2.0	3.2
Sussex, Norton, Sussex Corner Area	n/a	n/a	3.3	3.1
Tracadie and Saint-Isidore	n/a	n/a	2.1	4.2
<b>Age</b>				
18-64	5.3	5.9	3.8	3.5

	Year 2023	Year 2022	Year 2020	Year 2017
65 and over	1.3	1.3	1.4	1.2
<b>Gender</b>				
Female	4.6	4.5	n/a	n/a
Male	3.5	4.8	n/a	n/a
<b>2SLGBTQIA+ status</b>				
2SLGBTQIA+	19.7	6.9	13.9	n/a
<b>Language</b>				
Most comfortable in English	4.6	n/a	n/a	n/a
Most comfortable in French	2.6	n/a	n/a	n/a
Comfortable in both English and French	5.4	n/a	n/a	n/a
<b>Indigenous identity</b>				
Indigenous	9.2	16.0	7.4	5.3
<b>Immigrant</b>				
Immigrants	3.7	4.8	2.2	2.2
<b>Education level</b>				
High school or less	5.4	5.3	3.8	3.6
Postsecondary	3.8	4.1	2.8	2.5
<b>Disability or special need</b>				
Disability or special need	13.7	n/a	n/a	n/a
<b>Household income</b>				
Less than \$30,000	8.5	n/a	n/a	n/a
\$30,000 to less than \$60,000	4.4	n/a	n/a	n/a
\$60,000 or more	2.8	n/a	n/a	n/a

	Year 2023	Year 2022	Year 2020	Year 2017
<b>Racialized groups</b>				
Racialized groups	<b>3.7</b>	n/a	n/a	n/a

## About

This indicator is the percentage of citizens who reported that they have been diagnosed or treated for a mood disorder other than depression, such as bipolar disorder, mania, manic depression, or dysthymia.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Has any health professional ever diagnosed you with or treated you for any of the following chronic health conditions: h) A mood disorder other than depression, such as bipolar disorder, mania, manic depression, or dysthymia

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Lower is better	PH_CHCMD_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size