

## Citizens [age 65+] who received a flu shot in the last 12 months

Unit : %

	Year 2020	Year 2017	Year 2014
<b>Province</b>			
New Brunswick	66.5	63.0	70.6
<b>Health zones</b>			
Zone 1 - Moncton and South-East Area	65.7	61.3	66.7
Zone 2 - Fundy Shore and Saint John Area	70.4	69.5	74.4
Zone 3 - Fredericton and River Valley Area	73.8	66.4	77.3
Zone 4 - Madawaska and North-West Area	52.9	54.9	60.9
Zone 5 - Restigouche Area	52.6	58.2	64.5
Zone 6 - Bathurst and Acadian Peninsula Area	60.1	54.3	66.7
Zone 7 - Miramichi Area	67.0	65.1	72.5
<b>Communities</b>			
Bathurst, Beresford, Petit-Rocher Area	67.5	58.1	64.5
Bouctouche, Richibucto, Saint-Antoine Area	57.8	56.2	62.2
Campbellton, Atholville, Tide Head Area	48.1	54.3	70.7
Caraquet, Paquetville, Bertrand Area	45.8	47.6	63.0
Dalhousie, Balmoral, Belledune Area	56.7	61.3	58.8
Dieppe and Memramcook	70.9	60.7	69.7
Douglas, Saint Marys, Doaktown Area	71.0	65.2	79.0
Edmundston, Rivière-Verte, Lac Baker Area	53.5	56.2	63.6
Florenceville-Bristol, Woodstock, Wakefield Area	67.5	63.5	74.1
Fredericton	82.0	71.9	81.7
Grand Bay-Westfield, Westfield, Greenwich Area	78.0	77.0	74.6

	Year 2020	Year 2017	Year 2014
Grand Falls, Saint-Léonard, Drummond Area	58.1	59.0	59.1
Hillsborough, Riverside-Albert, Alma Area	58.1	60.5	58.8
Kedgwick, Saint-Quentin and Grimmer	34.7	39.0	S
Minto, Chipman, Cambridge-Narrows Area	70.2	58.1	71.7
Miramichi, Rogersville, Blackville Area	66.9	67.7	72.8
Moncton	63.2	58.9	69.2
Nackawic, McAdam, Canterbury Area	68.9	67.7	74.5
Neguac, Alnwick, Esgenoopetitj Area	67.6	49.1	S
New Maryland, Kingsclear, Lincoln Area	70.4	63.2	80.1
Oromocto, Gagetown, Fredericton Junction Area	73.9	66.9	80.5
Perth-Andover, Plaster Rock, Tobique Area	66.9	60.6	62.5
Quispamsis, Rothesay, Hampton Area	72.6	72.8	81.8
Riverview and Coverdale	72.6	75.2	72.5
Sackville, Dorchester, Port Elgin Area	81.7	72.1	74.9
Saint John, Simonds and Musquash	70.1	70.1	74.3
Salisbury and Petitcodiac	68.5	68.1	69.2
Shediac, Beaubassin East and Cap-Pelé	63.6	56.1	57.1
Shippagan, Lamèque, Inkerman Area	55.8	47.1	73.1
St. George, Grand Manan, Blacks Harbour Area	56.3	55.6	63.9
St. Stephen, Saint Andrews, Campobello Island Area	67.0	72.5	68.5
Sussex, Norton, Sussex Corner Area	73.6	64.4	74.9
Tracadie and Saint-Isidore	61.0	59.0	69.8
<b>Age</b>			
18-64	n/a	n/a	n/a

	Year 2020	Year 2017	Year 2014
65 and over	66.5	63.0	70.6
<b>Sex at birth</b>			
Female	65.6	63.4	70.0
Male	67.0	62.4	71.4
<b>Sexual identity</b>			
Minority sexual identity	66.7	n/a	n/a
Heterosexual	66.8	n/a	n/a
<b>Language</b>			
Preferred language of service: English	70.3	66.4	73.0
Preferred language of service: French	57.9	53.4	64.9
<b>Indigenous identity</b>			
Indigenous	52.0	51.8	60.9
Non-Indigenous	66.9	63.5	70.8
<b>Immigrant</b>			
Immigrants	65.6	57.8	n/a
Non-immigrants	66.0	63.2	n/a
<b>Education level</b>			
High school or less	62.6	61.9	69.5
Postsecondary	69.7	64.3	71.8
<b>Household income</b>			
Less than \$25,000	59.8	56.5	66.9
\$25,000 to less than \$60,000	63.4	64.1	71.2
\$60,000 or more	75.2	68.0	76.3

	Year 2020	Year 2017	Year 2014
<b>Persons with a disability</b>			
Without disability	65.1	60.3	68.2
With disability	68.5	68.0	75.5

## About

This indicator is the percentage of citizens [age 65+] who received a flu shot in the last 12 months.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have 65 years or more . This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the past 12 months, have you had a flu shot?

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

<b>Unit</b>	<b>Interpretation</b>	<b>NBHC code</b>
%	Higher is better	PH_FLU01_2

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size