

[DISCONTINUED] Citizens with a preference for services in English who always received the health care services they needed in the official language of their choice

Unit : %

	Year 2020	Year 2017	Year 2014	Year 2011
Province				
New Brunswick	95.7	94.7	95.4	95.4
Health zones				
Zone 1 - Moncton and South-East Area	93.5	92.3	92.8	94.2
Zone 2 - Fundy Shore and Saint John Area	97.7	97.5	98.2	97.8
Zone 3 - Fredericton and River Valley Area	97.7	96.7	98.1	98.3
Zone 4 - Madawaska and North-West Area	71.8	71.8	81.3	73.7
Zone 5 - Restigouche Area	84.8	84.5	75.6	83.6
Zone 6 - Bathurst and Acadian Peninsula Area	77.1	81.4	78.7	79.9
Zone 7 - Miramichi Area	95.7	93.1	95.9	95.2
Communities				
Bathurst, Beresford, Petit-Rocher Area	78.1	80.9	78.7	79.8
Bouctouche, Richibucto, Saint-Antoine Area	93.4	87.4	83.6	87.9
Campbellton, Atholville, Tide Head Area	85.0	83.5	74.7	84.3
Caraquet, Paquetville, Bertrand Area	S	S	S	S
Dalhousie, Balmoral, Belledune Area	85.2	85.4	76.5	83.0
Dieppe and Memramcook	92.6	89.8	90.9	92.2
Douglas, Saint Marys, Doaktown Area	97.5	95.6	98.0	96.2
Edmundston, Rivière-Verte, Lac Baker Area	S	77.1	81.7	71.1
Florenceville-Bristol, Woodstock, Wakefield Area	95.2	95.7	96.5	98.7
Fredericton	96.3	96.5	98.5	98.9

	Year 2020	Year 2017	Year 2014	Year 2011
Grand Bay-Westfield, Westfield, Greenwich Area	97.8	98.2	98.9	99.3
Grand Falls, Saint-Léonard, Drummond Area	72.5	69.0	81.0	74.6
Hillsborough, Riverside-Albert, Alma Area	97.0	93.8	98.4	95.7
Kedgwick, Saint-Quentin and Grimmer	S	S	n/a	S
Minto, Chipman, Cambridge-Narrows Area	100.0	98.8	97.6	99.1
Miramichi, Rogersville, Blackville Area	95.8	93.2	95.7	95.5
Moncton	93.6	92.3	92.2	94.1
Nackawic, McAdam, Canterbury Area	96.5	97.9	98.1	97.6
Neguac, Alnwick, Esgenoopetitj Area	92.2	91.8	S	92.4
New Maryland, Kingsclear, Lincoln Area	98.2	98.0	99.6	99.2
Oromocto, Gagetown, Fredericton Junction Area	100.0	97.3	99.1	96.9
Perth-Andover, Plaster Rock, Tobique Area	94.1	93.0	96.1	96.5
Quispamsis, Rothesay, Hampton Area	100.0	98.8	99.0	98.1
Riverview and Coverdale	96.4	93.9	94.7	98.6
Sackville, Dorchester, Port Elgin Area	94.7	94.9	98.3	95.9
Saint John, Simonds and Musquash	98.2	97.3	98.2	97.5
Salisbury and Petitcodiac	90.9	97.3	94.7	94.3
Shediac, Beaubassin East and Cap-Pelé	88.4	91.1	92.0	91.2
Shippagan, Lamèque, Inkerman Area	S	S	S	S
St. George, Grand Manan, Blacks Harbour Area	97.1	95.7	98.6	98.6
St. Stephen, Saint Andrews, Campobello Island Area	97.9	96.8	98.9	96.8
Sussex, Norton, Sussex Corner Area	96.5	96.9	96.1	97.8
Tracadie and Saint-Isidore	S	S	S	S

Age

	Year 2020	Year 2017	Year 2014	Year 2011
18-64	95.4	94.5	95.2	95.0
65 and over	95.8	95.5	96.0	96.8
Sex at birth				
Female	96.4	94.6	95.3	95.0
Male	94.1	94.8	95.4	95.8
Sexual identity				
Minority sexual identity	90.8	n/a	n/a	n/a
Heterosexual	96.1	n/a	n/a	n/a
Language				
Preferred language of service: English	95.7	94.7	95.4	95.4
Preferred language of service: French	n/a	n/a	n/a	n/a
Indigenous identity				
Indigenous	89.4	92.6	88.6	91.9
Non-Indigenous	96.0	94.8	95.6	95.5
Immigrant				
Immigrants	91.0	93.2	n/a	n/a
Non-immigrants	95.2	94.8	n/a	n/a
Education level				
High school or less	92.8	93.6	94.1	94.3
Postsecondary	96.8	95.4	96.2	96.2
Household income				
Less than \$25,000	89.1	91.8	90.6	93.2
\$25,000 to less than \$60,000	94.1	95.1	95.7	95.7

	Year 2020	Year 2017	Year 2014	Year 2011
\$60,000 or more	97.6	96.1	97.3	96.3
Persons with a disability				
Without disability	96.3	94.9	95.9	n/a
With disability	93.2	94.2	93.8	n/a

About

This indicator is the percentage of citizens [with a preference for services in English] who always received the health care services they needed in the official language of their choice.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is based on respondents who have a preference for services in English . This indicator is calculated by dividing the number of respondents who answered "always" by the number of respondents who answered "never, rarely, sometimes, usually or always" to the question: In the last 12 months, how often did you receive the health care service you needed in the official language (English or French) of your choice?

Notes

Due to changes in content and methodology, this indicator has been discontinued. The following indicator(s) are related to this one and can be typed into the indicator search box on our website: PC_LINAH_2, PC_LINED_2, PC_LINFD_2, PC_LINHL_2, PC_LINOT_2, PC_LINPY_2, PC_LINSP_2, PC_LINTC_2, PC_LINVC_2, PC_LINWC_2. The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	NBHC code
%	PH_LOS03_2

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size