

Citizens who have one or more chronic health conditions (among list of 12 conditions) who reported taking 6 or more different prescription medications on a regular basis

Unit : %

	Year 2024	Year 2023	Year 2020	Year 2017
Province				
New Brunswick	17.2	17.4	17.6	16.4
Health zones				
Zone 1 - Moncton and South-East Area	13.2	15.3	14.8	15.4
Zone 2 - Fundy Shore and Saint John Area	16.7	18.8	17.0	16.2
Zone 3 - Fredericton and River Valley Area	18.4	15.0	16.8	15.4
Zone 4 - Madawaska and North-West Area	24.3	20.9	22.7	19.3
Zone 5 - Restigouche Area	29.5	25.7	24.6	22.1
Zone 6 - Bathurst and Acadian Peninsula Area	17.7	21.1	21.4	19.6
Zone 7 - Miramichi Area	19.2	18.4	17.8	13.4
Age				
18-64	12.5	12.5	12.4	12.0
65 and over	25.6	26.4	26.6	25.2
Gender				
Female	17.5	16.1	n/a	n/a
Male	17.0	19.1	n/a	n/a
2SLGBTQIA+ status				
2SLGBTQIA+	8.2	14.6	16.8	n/a
Language				
Most comfortable in English	17.7	17.4	n/a	n/a

	Year 2024	Year 2023	Year 2020	Year 2017
Most comfortable in French	15.3	18.8	n/a	n/a
Comfortable in both English and French	17.3	15.0	n/a	n/a
Indigenous identity				
Indigenous	27.4	19.7	19.9	23.2
Immigrant				
Immigrants	9.2	9.0	10.9	14.1
Education level				
High school or less	22.7	22.3	21.0	21.0
Postsecondary	15.0	15.1	14.9	12.7
Disability or special need				
Disability or special need	38.2	37.0	n/a	n/a
Household income				
Less than \$30,000	28.7	28.2	n/a	n/a
\$30,000 to less than \$60,000	21.6	19.3	n/a	n/a
\$60,000 or more	11.9	12.3	n/a	n/a
Racialized groups				
Racialized groups	11.0	13.2	n/a	n/a

About

This indicator is the percentage of citizens who have one or more chronic health conditions (among list of 12 conditions) who reported taking 6 or more different prescription medications on a regular basis.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is based on respondents who have one (1) or more of the following chronic health conditions: arthritis, asthma, chronic pain, Emphysema or COPD (chronic obstructive pulmonary disease), cancer, diabetes, depression, A mood disorder other than depression, such as bipolar disorder, mania, manic depression, or dysthymia, heart disease, stroke, high blood pressure or hypertension or gastric reflux (GERD). This indicator is calculated by dividing the number of respondents who said they take "6 or more prescribed medications" by the "total number of respondents who entered a valid response" to the question: How many different prescription medications are you taking on a regular or ongoing basis?

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Lower is better	PH_MED01_2

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size