

## Citizens [with any chronic health condition asked in the questionnaire] who strongly agree that they know how to try to help prevent further problems with their health condition

Unit : %

	Year 2020	Year 2017	Year 2014	Year 2011
<b>Province</b>				
New Brunswick	35.6	37.2	37.4	38.7
<b>Health zones</b>				
Zone 1 - Moncton and South-East Area	35.0	39.0	39.8	37.7
Zone 2 - Fundy Shore and Saint John Area	39.0	42.3	42.5	43.1
Zone 3 - Fredericton and River Valley Area	37.5	39.4	39.6	42.8
Zone 4 - Madawaska and North-West Area	27.5	29.2	27.8	26.8
Zone 5 - Restigouche Area	32.1	32.9	31.0	37.4
Zone 6 - Bathurst and Acadian Peninsula Area	32.8	27.7	27.5	33.6
Zone 7 - Miramichi Area	33.4	29.8	31.5	33.7
<b>Communities</b>				
Bathurst, Beresford, Petit-Rocher Area	35.6	30.1	32.9	38.8
Bouctouche, Richibucto, Saint-Antoine Area	30.4	27.8	37.9	32.2
Campbellton, Atholville, Tide Head Area	34.8	32.7	32.9	33.1
Caraquet, Paquetville, Bertrand Area	33.2	29.7	20.8	32.8
Dalhousie, Balmoral, Belledune Area	29.2	33.2	29.2	41.1
Dieppe and Memramcook	39.4	42.0	36.1	41.0
Douglas, Saint Marys, Doaktown Area	30.4	39.4	43.1	43.3
Edmundston, Rivière-Verte, Lac Baker Area	28.2	26.5	30.2	25.6
Florenceville-Bristol, Woodstock, Wakefield Area	36.1	39.4	37.3	38.2
Fredericton	41.9	44.4	41.0	45.1

	Year 2020	Year 2017	Year 2014	Year 2011
Grand Bay-Westfield, Westfield, Greenwich Area	44.0	44.7	40.3	48.5
Grand Falls, Saint-Léonard, Drummond Area	26.4	31.5	29.9	28.3
Hillsborough, Riverside-Albert, Alma Area	26.6	30.8	42.8	24.9
Kedgwick, Saint-Quentin and Grimmer	27.2	35.3	S	28.8
Minto, Chipman, Cambridge-Narrows Area	29.9	34.7	32.2	38.8
Miramichi, Rogersville, Blackville Area	34.3	31.4	35.5	36.0
Moncton	34.4	40.8	44.4	39.3
Nackawic, McAdam, Canterbury Area	36.9	33.7	38.0	36.2
Neguac, Alnwick, Esgenoopetitj Area	27.9	22.4	12.9	23.4
New Maryland, Kingsclear, Lincoln Area	34.6	36.1	38.6	46.5
Oromocto, Gagetown, Fredericton Junction Area	41.0	42.3	41.9	44.0
Perth-Andover, Plaster Rock, Tobique Area	34.7	25.8	41.6	41.1
Quispamsis, Rothesay, Hampton Area	37.7	51.4	43.0	42.1
Riverview and Coverdale	38.4	42.8	41.3	44.1
Sackville, Dorchester, Port Elgin Area	36.9	39.6	43.5	42.0
Saint John, Simonds and Musquash	39.4	40.1	44.0	44.8
Salisbury and Petitcodiac	30.9	44.5	34.1	37.0
Shediac, Beaubassin East and Cap-Pelé	34.4	35.9	31.4	30.9
Shippagan, Lamèque, Inkerman Area	29.1	23.1	23.5	29.9
St. George, Grand Manan, Blacks Harbour Area	41.7	36.5	36.4	34.3
St. Stephen, Saint Andrews, Campobello Island Area	35.3	37.8	42.4	44.4
Sussex, Norton, Sussex Corner Area	38.1	40.2	40.6	39.8
Tracadie and Saint-Isidore	29.3	25.0	24.9	25.6

## Age

	Year 2020	Year 2017	Year 2014	Year 2011
18-64	38.0	40.5	39.7	41.5
65 and over	30.6	29.7	31.1	30.4
<b>Sex at birth</b>				
Female	35.5	38.2	39.4	40.8
Male	35.7	36.1	35.1	36.2
<b>Sexual identity</b>				
Minority sexual identity	38.0	n/a	n/a	n/a
Heterosexual	35.8	n/a	n/a	n/a
<b>Language</b>				
Preferred language of service: English	37.1	39.7	40.2	42.0
Preferred language of service: French	31.0	30.5	28.4	29.6
<b>Indigenous identity</b>				
Indigenous	28.8	35.6	34.5	42.9
Non-Indigenous	35.9	37.3	37.6	38.5
<b>Immigrant</b>				
Immigrants	36.9	40.4	n/a	n/a
Non-immigrants	35.5	37.1	n/a	n/a
<b>Education level</b>				
High school or less	29.8	28.6	29.7	30.2
Postsecondary	39.4	43.8	43.0	46.0
<b>Household income</b>				
Less than \$25,000	25.4	27.5	27.9	29.7
\$25,000 to less than \$60,000	32.4	34.0	35.4	36.3

	Year 2020	Year 2017	Year 2014	Year 2011
\$60,000 or more	43.6	46.8	45.9	47.9
<b>Persons with a disability</b>				
Without disability	40.4	41.6	41.1	n/a
With disability	25.2	27.4	29.6	n/a

## About

This indicator is the percentage of citizens [with any chronic health condition asked in the questionnaire] who strongly agree that they know how to try to help prevent further problems with their health condition.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have one (1) or more of the following chronic health conditions: arthritis, asthma, chronic pain, Emphysema or COPD (chronic obstructive pulmonary disease), cancer, diabetes, depression, A mood disorder other than depression, such as bipolar disorder, mania, manic depression, or dysthymia, heart disease, stroke, high blood pressure or hypertension or gastric reflux (GERD) . This indicator is calculated by dividing the number of respondents who answered "strongly Agree" by the number of respondents who answered "strongly disagree, disagree, agree or strongly Agree" to the question: After I read the following statement, please tell me if you strongly agree, agree, disagree or strongly disagree : "I know how to try to help prevent further problems with my health condition".

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Higher is better	PH_MGT02_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size