

## Citizens who felt that they needed to see or talk to a health professional in the last 12 months about their mental or emotional health, or their use of alcohol or drugs

Unit : %

	Year 2022	Year 2020
<b>Province</b>		
New Brunswick	24.3	18.2
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	26.1	20.2
Zone 2 - Fundy Shore and Saint John Area	23.0	17.6
Zone 3 - Fredericton and River Valley Area	28.8	17.1
Zone 4 - Madawaska and North-West Area	19.7	12.4
Zone 5 - Restigouche Area	17.0	16.5
Zone 6 - Bathurst and Acadian Peninsula Area	18.9	15.0
Zone 7 - Miramichi Area	20.3	15.6
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	n/a	15.9
Bouctouche, Richibucto, Saint-Antoine Area	n/a	14.1
Campbellton, Atholville, Tide Head Area	n/a	17.0
Caraquet, Paquetville, Bertrand Area	n/a	10.2
Dalhousie, Balmoral, Belledune Area	n/a	16.0
Dieppe and Memramcook	n/a	20.0
Douglas, Saint Marys, Doaktown Area	n/a	19.3
Edmundston, Rivière-Verte, Lac Baker Area	n/a	11.1
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	15.3
Fredericton	n/a	16.3

	<b>Year 2022</b>	<b>Year 2020</b>
Grand Bay-Westfield, Westfield, Greenwich Area	n/a	<b>19.3</b>
Grand Falls, Saint-Léonard, Drummond Area	n/a	<b>15.8</b>
Hillsborough, Riverside-Albert, Alma Area	n/a	<b>15.6</b>
Kedgwick, Saint-Quentin and Grimmer	n/a	<b>9.8</b>
Minto, Chipman, Cambridge-Narrows Area	n/a	<b>13.9</b>
Miramichi, Rogersville, Blackville Area	n/a	<b>13.4</b>
Moncton	n/a	<b>22.3</b>
Nackawic, McAdam, Canterbury Area	n/a	<b>13.1</b>
Neguac, Alnwick, Esgenoopetitj Area	n/a	<b>14.1</b>
New Maryland, Kingsclear, Lincoln Area	n/a	<b>17.5</b>
Oromocto, Gagetown, Fredericton Junction Area	n/a	<b>23.0</b>
Perth-Andover, Plaster Rock, Tobique Area	n/a	<b>13.7</b>
Quispamsis, Rothesay, Hampton Area	n/a	<b>11.0</b>
Riverview and Coverdale	n/a	<b>18.3</b>
Sackville, Dorchester, Port Elgin Area	n/a	<b>21.8</b>
Saint John, Simonds and Musquash	n/a	<b>18.5</b>
Salisbury and Petitcodiac	n/a	<b>13.5</b>
Shediac, Beaubassin East and Cap-Pelé	n/a	<b>21.8</b>
Shippagan, Lamèque, Inkerman Area	n/a	<b>12.4</b>
St. George, Grand Manan, Blacks Harbour Area	n/a	<b>15.2</b>
St. Stephen, Saint Andrews, Campobello Island Area	n/a	<b>14.7</b>
Sussex, Norton, Sussex Corner Area	n/a	<b>12.9</b>
Tracadie and Saint-Isidore	n/a	<b>12.2</b>

## Age

	Year 2022	Year 2020
18-64	29.8	19.6
65 and over	9.8	7.3
<b>Gender</b>		
Female	26.7	n/a
Male	21.8	n/a
<b>Sexual identity</b>		
Minority sexual identity	54.3	38.0
Heterosexual	23.3	15.0
<b>Language</b>		
Preferred language of service: English	n/a	16.5
Preferred language of service: French	n/a	16.1
<b>Indigenous identity</b>		
Indigenous	35.1	22.4
Non-Indigenous	23.9	15.7
<b>Immigrant</b>		
Immigrants	24.9	13.8
Non-immigrants	24.2	17.2
<b>Education level</b>		
High school or less	20.9	14.7
Postsecondary	25.7	17.3
<b>Household income</b>		
Less than \$25,000	26.5	19.2
\$25,000 to less than \$60,000	25.1	17.4

	Year 2022	Year 2020
\$60,000 or more	25.0	15.4
<b>Persons with a disability</b>		
Without disability	20.3	15.3
With disability	34.5	25.2

## About

This indicator is the percentage of citizens who felt that they needed to see or talk to a health professional in the last 12 months about their mental or emotional health, or their use of alcohol or drugs.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the last 12 months, was there ever a time when you felt that you needed to see or talk to a doctor, nurse, or other health professional about your mental or emotional health or your use of alcohol or drugs?

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Lower is better	PH_MHI04_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size