

## Citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because services were not available in their area

Unit : %

	Year 2022	Year 2020
<b>Province</b>		
New Brunswick	33.5	13.7
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	31.6	10.9
Zone 2 - Fundy Shore and Saint John Area	28.6	12.9
Zone 3 - Fredericton and River Valley Area	45.8	20.9
Zone 4 - Madawaska and North-West Area	S	S
Zone 5 - Restigouche Area	S	S
Zone 6 - Bathurst and Acadian Peninsula Area	S	13.2
Zone 7 - Miramichi Area	S	S
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	n/a	S
Bouctouche, Richibucto, Saint-Antoine Area	n/a	S
Campbellton, Atholville, Tide Head Area	n/a	S
Caraquet, Paquetville, Bertrand Area	n/a	S
Dalhousie, Balmoral, Belledune Area	n/a	S
Dieppe and Memramcook	n/a	S
Douglas, Saint Marys, Doaktown Area	n/a	S
Edmundston, Rivière-Verte, Lac Baker Area	n/a	S
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	S
Fredericton	n/a	S

	Year 2022	Year 2020
Grand Bay-Westfield, Westfield, Greenwich Area	n/a	S
Grand Falls, Saint-Léonard, Drummond Area	n/a	S
Hillsborough, Riverside-Albert, Alma Area	n/a	S
Kedgwick, Saint-Quentin and Grimmer	n/a	S
Minto, Chipman, Cambridge-Narrows Area	n/a	S
Miramichi, Rogersville, Blackville Area	n/a	S
Moncton	n/a	S
Nackawic, McAdam, Canterbury Area	n/a	S
Neguac, Alnwick, Esgenoopetitj Area	n/a	S
New Maryland, Kingsclear, Lincoln Area	n/a	S
Oromocto, Gagetown, Fredericton Junction Area	n/a	S
Perth-Andover, Plaster Rock, Tobique Area	n/a	S
Quispamsis, Rothesay, Hampton Area	n/a	S
Riverview and Coverdale	n/a	S
Sackville, Dorchester, Port Elgin Area	n/a	S
Saint John, Simonds and Musquash	n/a	S
Salisbury and Petitcodiac	n/a	S
Shediac, Beaubassin East and Cap-Pelé	n/a	S
Shippagan, Lamèque, Inkerman Area	n/a	S
St. George, Grand Manan, Blacks Harbour Area	n/a	S
St. Stephen, Saint Andrews, Campobello Island Area	n/a	S
Sussex, Norton, Sussex Corner Area	n/a	S
Tracadie and Saint-Isidore	n/a	S

## Age

	Year 2022	Year 2020
18-64	34.1	14.0
65 and over	27.5	11.1
<b>Gender</b>		
Female	39.7	n/a
Male	28.0	n/a
<b>Sexual identity</b>		
Minority sexual identity	S	22.5
Heterosexual	34.3	12.9
<b>Language</b>		
Preferred language of service: English	n/a	15.9
Preferred language of service: French	n/a	8.1
<b>Indigenous identity</b>		
Indigenous	S	S
Non-Indigenous	33.5	14.0
<b>Immigrant</b>		
Immigrants	S	18.0
Non-immigrants	32.2	13.3
<b>Education level</b>		
High school or less	24.0	13.2
Postsecondary	37.1	14.1
<b>Household income</b>		
Less than \$25,000	16.0	25.5
\$25,000 to less than \$60,000	36.9	7.6

	Year 2022	Year 2020
\$60,000 or more	34.8	16.3
<b>Persons with a disability</b>		
Without disability	29.6	12.7
With disability	45.6	17.3

## About

This indicator is the percentage of citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because services were not available in their area.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months and who didn't. This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the last 12 months, why didn't you see or talk to a doctor, nurse or other health professional about your mental or emotional health, or about the use of alcohol or drugs: 1) Services were not available in my area

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

### Unit

%

### Interpretation

Lower is better

### NBHC code

PH\_MHI06\_1

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size