

## Citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because services were not available at a convenient time for them

Unit : %

	Year 2024	Year 2023	Year 2022	Year 2020
<b>Province</b>				
New Brunswick	43.7	43.0	44.3	16.3
<b>Health zones</b>				
Zone 1 - Moncton and South-East Area	47.4	41.0	42.3	15.0
Zone 2 - Fundy Shore and Saint John Area	47.6	46.7	57.0	18.7
Zone 3 - Fredericton and River Valley Area	43.7	46.5	35.9	18.9
Zone 4 - Madawaska and North-West Area	S	S	S	S
Zone 5 - Restigouche Area	S	S	S	S
Zone 6 - Bathurst and Acadian Peninsula Area	S	S	S	18.1
Zone 7 - Miramichi Area	S	S	S	S
<b>Age</b>				
18-64	46.7	44.5	45.4	15.6
65 and over	14.5	29.7	32.6	12.5
<b>Gender</b>				
Female	43.9	46.2	41.9	n/a
Male	42.4	39.8	46.7	n/a
<b>2SLGBTQIA+ status</b>				
2SLGBTQIA+	S	S	S	S
<b>Language</b>				
Most comfortable in English	45.5	41.8	n/a	n/a

	Year 2024	Year 2023	Year 2022	Year 2020
Most comfortable in French	<b>23.8</b>	<b>43.3</b>	n/a	n/a
Comfortable in both English and French	S	S	n/a	n/a
<b>Indigenous identity</b>				
Indigenous	S	S	S	S
<b>Immigrant</b>				
Immigrants	S	S	S	<b>25.2</b>
<b>Education level</b>				
High school or less	<b>43.0</b>	<b>49.2</b>	<b>56.8</b>	<b>15.2</b>
Postsecondary	<b>44.4</b>	<b>39.9</b>	<b>39.5</b>	<b>15.4</b>
<b>Disability or special need</b>				
Disability or special need	<b>27.9</b>	<b>25.6</b>	n/a	n/a
<b>Household income</b>				
Less than \$30,000	<b>51.9</b>	<b>46.4</b>	n/a	n/a
\$30,000 to less than \$60,000	<b>53.8</b>	<b>47.7</b>	n/a	n/a
\$60,000 or more	<b>36.7</b>	<b>37.9</b>	n/a	n/a
<b>Racialized groups</b>				
Racialized groups	S	S	n/a	n/a

## About

This indicator is the percentage of citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because services were not available at a convenient time for them.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who felt that they needed to see or talk to a health professional in the last 12 months about their mental or emotional health, or their use of alcohol or drugs and who didn't. This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the last 12 months, why didn't you see or talk to a doctor, nurse or other health professional about your mental or emotional health, or about the use of alcohol or drugs? d) Services were not available at a convenient time for me, for example services are only available on weekdays

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

### Unit

%

### Interpretation

Lower is better

### NBHC code

PH\_MHI06\_4

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size