

## Citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because services were not available at a convenient time for them

Unit : %

	Year 2022	Year 2020
<b>Province</b>		
New Brunswick	44.3	16.3
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	42.3	15.0
Zone 2 - Fundy Shore and Saint John Area	57.0	18.7
Zone 3 - Fredericton and River Valley Area	35.9	18.9
Zone 4 - Madawaska and North-West Area	S	S
Zone 5 - Restigouche Area	S	S
Zone 6 - Bathurst and Acadian Peninsula Area	S	18.1
Zone 7 - Miramichi Area	S	S
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	n/a	S
Bouctouche, Richibucto, Saint-Antoine Area	n/a	S
Campbellton, Atholville, Tide Head Area	n/a	S
Caraquet, Paquetville, Bertrand Area	n/a	S
Dalhousie, Balmoral, Belledune Area	n/a	S
Dieppe and Memramcook	n/a	S
Douglas, Saint Marys, Doaktown Area	n/a	S
Edmundston, Rivière-Verte, Lac Baker Area	n/a	S
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	S

	Year 2022	Year 2020
Fredericton	n/a	S
Grand Bay-Westfield, Westfield, Greenwich Area	n/a	S
Grand Falls, Saint-Léonard, Drummond Area	n/a	S
Hillsborough, Riverside-Albert, Alma Area	n/a	S
Kedgwick, Saint-Quentin and Grimmer	n/a	S
Minto, Chipman, Cambridge-Narrows Area	n/a	S
Miramichi, Rogersville, Blackville Area	n/a	S
Moncton	n/a	<b>24.0</b>
Nackawic, McAdam, Canterbury Area	n/a	S
Neguac, Alnwick, Esgenoopetitj Area	n/a	S
New Maryland, Kingsclear, Lincoln Area	n/a	S
Oromocto, Gagetown, Fredericton Junction Area	n/a	S
Perth-Andover, Plaster Rock, Tobique Area	n/a	S
Quispamsis, Rothesay, Hampton Area	n/a	S
Riverview and Coverdale	n/a	S
Sackville, Dorchester, Port Elgin Area	n/a	S
Saint John, Simonds and Musquash	n/a	S
Salisbury and Petitcodiac	n/a	S
Shediac, Beaubassin East and Cap-Pelé	n/a	S
Shippagan, Lamèque, Inkerman Area	n/a	S
St. George, Grand Manan, Blacks Harbour Area	n/a	S
St. Stephen, Saint Andrews, Campobello Island Area	n/a	S
Sussex, Norton, Sussex Corner Area	n/a	S
Tracadie and Saint-Isidore	n/a	S

	Year 2022	Year 2020
<b>Age</b>		
18-64	45.4	15.6
65 and over	32.6	12.5
<b>Gender</b>		
Female	41.9	n/a
Male	46.7	n/a
<b>Sexual identity</b>		
Minority sexual identity	S	S
Heterosexual	43.4	15.5
<b>Language</b>		
Preferred language of service: English	n/a	17.3
Preferred language of service: French	n/a	11.1
<b>Indigenous identity</b>		
Indigenous	S	S
Non-Indigenous	42.4	15.7
<b>Immigrant</b>		
Immigrants	S	25.2
Non-immigrants	42.6	14.3
<b>Education level</b>		
High school or less	56.8	15.2
Postsecondary	39.5	15.4
<b>Household income</b>		
Less than \$25,000	34.7	21.5

	Year 2022	Year 2020
\$25,000 to less than \$60,000	48.4	12.6
\$60,000 or more	44.6	14.9
<b>Persons with a disability</b>		
Without disability	42.8	16.1
With disability	49.5	15.9

## About

This indicator is the percentage of citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because services were not available at a convenient time for them.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have felt that they needed to see or talk to a health professional in the last 12 months about their mental or emotional health, or their use of alcohol or drugs and who didn't. This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the last 12 months, why didn't you see or talk to a doctor, nurse or other health professional about your mental or emotional health, or about the use of alcohol or drugs? d) Services were not available at a convenient time for me, for example services are only available on weekdays

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

### Unit

%

### Interpretation

Lower is better

### NBHC code

PH\_MHI06\_4

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size