

## Citizens who reported that their financial situation contributes a lot to feelings of stress in the last 12 months

Unit : %

	Year 2020	Year 2017	Year 2014
<b>Province</b>			
New Brunswick	32.3	32.8	33.5
<b>Health zones</b>			
Zone 1 - Moncton and South-East Area	35.3	35.4	32.8
Zone 2 - Fundy Shore and Saint John Area	33.1	34.4	35.3
Zone 3 - Fredericton and River Valley Area	32.0	32.3	35.2
Zone 4 - Madawaska and North-West Area	28.5	31.1	30.4
Zone 5 - Restigouche Area	27.2	30.5	34.8
Zone 6 - Bathurst and Acadian Peninsula Area	28.6	26.6	30.5
Zone 7 - Miramichi Area	28.2	31.1	30.7
<b>Communities</b>			
Bathurst, Beresford, Petit-Rocher Area	29.0	27.3	30.6
Bouctouche, Richibucto, Saint-Antoine Area	28.5	30.9	32.5
Campbellton, Atholville, Tide Head Area	28.9	29.8	34.9
Caraquet, Paquetville, Bertrand Area	22.0	23.7	27.1
Dalhousie, Balmoral, Belledune Area	25.5	31.1	34.7
Dieppe and Memramcook	33.9	33.3	33.0
Douglas, Saint Marys, Doaktown Area	27.4	34.7	35.1
Edmundston, Rivière-Verte, Lac Baker Area	24.9	31.4	29.0
Florenceville-Bristol, Woodstock, Wakefield Area	30.2	30.3	36.0
Fredericton	35.9	32.7	34.5
Grand Bay-Westfield, Westfield, Greenwich Area	25.0	33.6	33.8

	Year 2020	Year 2017	Year 2014
Grand Falls, Saint-Léonard, Drummond Area	32.5	36.7	31.9
Hillsborough, Riverside-Albert, Alma Area	24.9	32.7	40.1
Kedgwick, Saint-Quentin and Grimmer	34.6	16.1	33.2
Minto, Chipman, Cambridge-Narrows Area	31.4	33.9	34.6
Miramichi, Rogersville, Blackville Area	28.5	31.1	30.0
Moncton	37.3	39.5	32.7
Nackawic, McAdam, Canterbury Area	37.9	32.8	32.1
Neguac, Alnwick, Esgenoopetitj Area	26.9	30.9	33.8
New Maryland, Kingsclear, Lincoln Area	32.8	30.3	33.1
Oromocto, Gagetown, Fredericton Junction Area	32.1	31.3	36.8
Perth-Andover, Plaster Rock, Tobique Area	25.7	37.4	43.7
Quispamsis, Rothesay, Hampton Area	20.6	27.1	28.3
Riverview and Coverdale	35.1	35.8	30.0
Sackville, Dorchester, Port Elgin Area	36.5	29.8	36.5
Saint John, Simonds and Musquash	40.7	38.0	38.6
Salisbury and Petitcodiac	46.7	37.8	36.8
Shediac, Beaubassin East and Cap-Pelé	34.2	31.1	31.1
Shippagan, Lamèque, Inkerman Area	25.9	23.7	30.1
St. George, Grand Manan, Blacks Harbour Area	45.3	37.2	40.5
St. Stephen, Saint Andrews, Campobello Island Area	32.2	35.2	38.7
Sussex, Norton, Sussex Corner Area	30.6	33.9	31.5
Tracadie and Saint-Isidore	31.8	29.9	34.7
<b>Age</b>			
18-64	36.7	38.1	38.2

	Year 2020	Year 2017	Year 2014
65 and over	14.9	16.4	14.8
<b>Sex at birth</b>			
Female	33.1	33.7	34.5
Male	28.7	31.9	32.3
<b>Sexual identity</b>			
Minority sexual identity	49.4	n/a	n/a
Heterosexual	31.5	n/a	n/a
<b>Language</b>			
Preferred language of service: English	32.7	34.7	34.7
Preferred language of service: French	26.7	28.1	29.6
<b>Indigenous identity</b>			
Indigenous	40.2	41.6	41.5
Non-Indigenous	31.7	32.4	33.2
<b>Immigrant</b>			
Immigrants	34.8	30.4	n/a
Non-immigrants	29.7	33.0	n/a
<b>Education level</b>			
High school or less	31.4	34.4	35.6
Postsecondary	30.8	31.9	32.2
<b>Household income</b>			
Less than \$25,000	43.5	50.2	49.8
\$25,000 to less than \$60,000	34.7	35.0	35.1
\$60,000 or more	23.7	24.5	25.7

	Year 2020	Year 2017	Year 2014
<b>Persons with a disability</b>			
Without disability	28.1	30.1	30.2
With disability	40.2	42.1	45.1

## About

This indicator is the percentage of citizens who reported that their financial situation contributes a lot to feelings of stress in the last 12 months.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Thinking about stress in your day-to-day life within the last 12 months, please tell me if the following things have contributed a lot to feelings of stress you may have: d) Your financial situation (ex: not enough money, or debt)

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Lower is better	PH_STRFS_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size