

# Citizens [with diabetes, heart disease, stroke or high blood pressure] who had a test or measurement for blood pressure in the last 12 months

Unit: %

	2017	2014	2011
88.3	88.2	91.3	93.3
89.8	88.4	93.2	91.9
90.4	92.0	93.7	95.4
90.0	89.7	92.3	95.6
80.7	82.1	87.4	88.4
80.3	85.1	85.8	92.9
83.6	85.3	86.0	90.6
82.9	83.1	91.4	94.6
86.2	88.0	87.5	93.8
85.7	86.9	91.2	90.1
80.1	81.9	88.0	92.8
85.3	84.9	83.4	93.1
82.0	88.1	84.1	92.9
93.2	87.0	93.7	89.4
81.6	91.0	91.4	96.1
78.5	84.7	87.4	85.5
85.7	86.7	92.8	92.7
88.0	87.4	92.3	94.7
95.1	90.3	92.1	97.7
	89.8 90.4 90.0 80.7 80.3 83.6 82.9 86.2 85.7 80.1 85.3 82.0 93.2 81.6 78.5 85.7	89.8       88.4         90.4       92.0         90.0       89.7         80.7       82.1         80.3       85.1         83.6       85.3         82.9       83.1         86.2       88.0         85.7       86.9         80.1       81.9         85.3       84.9         82.0       88.1         93.2       87.0         81.6       91.0         78.5       84.7         85.7       86.7         88.0       87.4	89.8       88.4       93.2         90.4       92.0       93.7         90.0       89.7       92.3         80.7       82.1       87.4         80.3       85.1       85.8         83.6       85.3       86.0         82.9       83.1       91.4         86.2       88.0       87.5         85.7       86.9       91.2         80.1       81.9       88.0         85.3       84.9       83.4         82.0       88.1       84.1         93.2       87.0       93.7         81.6       91.0       91.4         78.5       84.7       87.4         85.7       86.7       92.8         88.0       87.4       92.3



	Year 2020	Year 2017	Year 2014	Year 2011
Grand Falls, Saint-Léonard, Drummond Area	81.4	80.3	89.1	91.6
Hillsborough, Riverside-Albert, Alma Area	88.6	83.0	94.7	97.9
Kedgwick, Saint-Quentin and Grimmer	92.0	75.9	S	94.0
Minto, Chipman, Cambridge-Narrows Area	94.9	95.2	98.3	97.6
Miramichi, Rogersville, Blackville Area	83.0	81.4	96.2	96.3
Moncton	90.8	87.7	92.8	92.8
Nackawic, McAdam, Canterbury Area	96.0	93.1	89.1	95.2
Neguac, Alnwick, Esgenoopetitj Area	82.4	91.0	73.6	87.6
New Maryland, Kingsclear, Lincoln Area	93.9	89.6	88.9	96.9
Oromocto, Gagetown, Fredericton Junction Area	91.9	92.8	91.4	96.7
Perth-Andover, Plaster Rock, Tobique Area	92.3	93.0	98.1	97.9
Quispamsis, Rothesay, Hampton Area	89.5	92.5	94.8	96.1
Riverview and Coverdale	90.1	93.7	94.1	92.4
Sackville, Dorchester, Port Elgin Area	95.7	88.1	98.1	95.8
Saint John, Simonds and Musquash	90.7	92.1	92.6	93.5
Salisbury and Petitcodiac	86.3	86.7	91.3	93.2
Shediac, Beaubassin East and Cap-Pelé	86.3	89.8	93.2	88.6
Shippagan, Lamèque, Inkerman Area	80.5	88.3	86.7	87.4
St. George, Grand Manan, Blacks Harbour Area	94.7	93.0	95.1	97.4
St. Stephen, Saint Andrews, Campobello Island Area	92.0	91.5	92.9	94.7
Sussex, Norton, Sussex Corner Area	87.4	91.5	96.1	98.0
Tracadie and Saint-Isidore	84.2	79.1	83.9	86.0
Age				
18-64	86.3	86.8	90.1	92.9



	Year	Year	Year	Year
	2020	2017	2014	2011
65 and over	87.7	89.9	93.2	93.9
Sex at birth				
Female	87.8	87.6	92.0	93.4
Male	86.3	88.9	90.6	93.1
Sexual identity				
Minority sexual identity	83.1	n/a	n/a	n/a
Heterosexual	88.8	n/a	n/a	n/a
Language				
Preferred language of service: English	89.0	89.8	92.9	95.9
Preferred language of service: French	82.8	84.3	86.3	88.7
Indigenous identity				
Indigenous	77.0	84.9	94.1	86.1
Non-Indigenous	88.7	88.5	91.3	93.5
Immigrant				
Immigrants	92.3	87.9	n/a	n/a
Non-immigrants	85.5	88.2	n/a	n/a
Education level				
High school or less	83.9	85.7	89.4	91.7
Postsecondary	89.5	90.8	93.0	95.1
Household income				
Less than \$25,000	78.6	83.7	88.1	90.1
\$25,000 to less than \$60,000	86.3	88.3	91.7	93.8
\$60,000 or more	91.2	92.3	93.5	95.6



	Year 2020	<b>Year</b> 2017	<b>Year</b> 2014	Year 2011
Persons with a disability				
Without disability	87.0	87.6	90.3	n/a
With disability	87.3	89.3	93.1	n/a



#### **About**

This indicator is the percentage of citizens [with diabetes, heart disease, stroke or high blood pressure] who had a test or measurement for blood pressure in the last 12 months.

#### Source

Primary Health Survey and Primary Care Survey

### **Calculations**

This indicator is based on respondents who have diabetes, heart disease, stroke or high blood pressure. This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the past 12 months, did you get the following tests or measurements from a health professional: a) Blood pressure measurement

#### **Notes**

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small subpopulations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Higher is better	PH TSTBP 1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size