

## Citizens receiving home care services [with the cost being entirely or partially covered by the government] who reported that physiotherapy, occupational therapy, respiratory therapy, speech therapy, nutrition counselling or social work was a service they

Unit : %

	Year 2020	Year 2017
<b>Province</b>		
New Brunswick	46.0	37.2
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	48.1	37.5
Zone 2 - Fundy Shore and Saint John Area	39.4	39.0
Zone 3 - Fredericton and River Valley Area	50.2	36.9
Zone 4 - Madawaska and North-West Area	51.4	24.1
Zone 5 - Restigouche Area	44.9	29.5
Zone 6 - Bathurst and Acadian Peninsula Area	46.2	54.5
Zone 7 - Miramichi Area	37.6	22.2
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	S	S
Bouctouche, Richibucto, Saint-Antoine Area	S	S
Campbellton, Atholville, Tide Head Area	S	S
Caraquet, Paquetville, Bertrand Area	S	S
Dalhousie, Balmoral, Belledune Area	S	S
Dieppe and Memramcook	S	S
Douglas, Saint Marys, Doaktown Area	S	S
Edmundston, Rivière-Verte, Lac Baker Area	36.7	25.1
Florenceville-Bristol, Woodstock, Wakefield Area	53.7	S

	Year 2020	Year 2017
Fredericton	S	S
Grand Bay-Westfield, Westfield, Greenwich Area	S	S
Grand Falls, Saint-Léonard, Drummond Area	<b>58.8</b>	S
Hillsborough, Riverside-Albert, Alma Area	S	S
Kedgwick, Saint-Quentin and Grimmer	S	S
Minto, Chipman, Cambridge-Narrows Area	S	S
Miramichi, Rogersville, Blackville Area	S	<b>23.4</b>
Moncton	<b>59.0</b>	<b>27.8</b>
Nackawic, McAdam, Canterbury Area	S	S
Neguac, Alnwick, Esgenoopetitj Area	S	S
New Maryland, Kingsclear, Lincoln Area	S	S
Oromocto, Gagetown, Fredericton Junction Area	<b>41.1</b>	S
Perth-Andover, Plaster Rock, Tobique Area	S	S
Quispamsis, Rothesay, Hampton Area	S	S
Riverview and Coverdale	S	S
Sackville, Dorchester, Port Elgin Area	S	S
Saint John, Simonds and Musquash	<b>36.7</b>	<b>41.9</b>
Salisbury and Petitcodiac	S	S
Shediac, Beaubassin East and Cap-Pelé	S	S
Shippagan, Lamèque, Inkerman Area	S	S
St. George, Grand Manan, Blacks Harbour Area	S	S
St. Stephen, Saint Andrews, Campobello Island Area	<b>47.8</b>	S
Sussex, Norton, Sussex Corner Area	S	S
Tracadie and Saint-Isidore	S	S

	Year 2020	Year 2017
<b>Age</b>		
18-64	48.0	39.9
65 and over	43.1	34.3
<b>Sex at birth</b>		
Female	46.4	37.8
Male	45.0	36.6
<b>Sexual identity</b>		
Minority sexual identity	S	n/a
Heterosexual	45.7	n/a
<b>Language</b>		
Preferred language of service: English	44.9	37.5
Preferred language of service: French	45.7	37.3
<b>Indigenous identity</b>		
Indigenous	S	24.5
Non-Indigenous	46.3	38.0
<b>Immigrant</b>		
Immigrants	42.5	S
Non-immigrants	46.2	37.1
<b>Education level</b>		
High school or less	43.8	37.7
Postsecondary	47.7	36.8
<b>Household income</b>		
Less than \$25,000	44.0	31.4

	Year 2020	Year 2017
\$25,000 to less than \$60,000	51.1	40.7
\$60,000 or more	40.1	33.9
<b>Persons with a disability</b>		
Without disability	44.2	37.1
With disability	46.6	37.2

## About

This indicator is the percentage of citizens receiving home care services [with the cost being entirely or partially covered by the government] who reported that physiotherapy, occupational therapy, respiratory therapy, speech therapy, nutrition counselling or social work was a service they received.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have the cost of home care services being entirely or partially covered by the government . This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: What type of services have you received: 2) Other health care services such as physiotherapy, occupational, respiratory or speech therapy, nutrition counselling or social work

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

### Unit

%

### NBHC code

PH\_USEAB\_2

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size