

## [DISCONTINUED] Citizens who have a primary care provider and have visited a hospital emergency department in the last 12 months who thought they could have been treated by their primary care provider if they had been available

Unit : %

	Year 2020
<b>Province</b>	
New Brunswick	39.7
<b>Health zones</b>	
Zone 1 - Moncton and South-East Area	31.3
Zone 2 - Fundy Shore and Saint John Area	37.6
Zone 3 - Fredericton and River Valley Area	42.0
Zone 4 - Madawaska and North-West Area	56.0
Zone 5 - Restigouche Area	46.8
Zone 6 - Bathurst and Acadian Peninsula Area	50.4
Zone 7 - Miramichi Area	41.1
<b>Communities</b>	
Bathurst, Beresford, Petit-Rocher Area	46.3
Bouctouche, Richibucto, Saint-Antoine Area	46.6
Campbellton, Atholville, Tide Head Area	53.6
Caraquet, Paquetville, Bertrand Area	46.5
Dalhousie, Balmoral, Belledune Area	39.5
Dieppe and Memramcook	18.8
Douglas, Saint Marys, Doaktown Area	37.6
Edmundston, Rivière-Verte, Lac Baker Area	52.5
Florenceville-Bristol, Woodstock, Wakefield Area	50.0

	<b>Year 2020</b>
Fredericton	<b>32.4</b>
Grand Bay-Westfield, Westfield, Greenwich Area	<b>29.3</b>
Grand Falls, Saint-Léonard, Drummond Area	<b>61.1</b>
Hillsborough, Riverside-Albert, Alma Area	<b>27.4</b>
Kedgwick, Saint-Quentin and Grimmer	<b>53.0</b>
Minto, Chipman, Cambridge-Narrows Area	<b>43.6</b>
Miramichi, Rogersville, Blackville Area	<b>37.3</b>
Moncton	<b>27.5</b>
Nackawic, McAdam, Canterbury Area	<b>28.4</b>
Neguac, Alnwick, Esgenoopetitj Area	<b>56.7</b>
New Maryland, Kingsclear, Lincoln Area	<b>35.0</b>
Oromocto, Gagetown, Fredericton Junction Area	<b>55.2</b>
Perth-Andover, Plaster Rock, Tobique Area	<b>63.8</b>
Quispamsis, Rothesay, Hampton Area	<b>23.7</b>
Riverview and Coverdale	<b>19.9</b>
Sackville, Dorchester, Port Elgin Area	<b>58.8</b>
Saint John, Simonds and Musquash	<b>30.5</b>
Salisbury and Petitcodiac	<b>60.2</b>
Shediac, Beaubassin East and Cap-Pelé	<b>28.3</b>
Shippagan, Lamèque, Inkerman Area	<b>47.7</b>
St. George, Grand Manan, Blacks Harbour Area	<b>48.8</b>
St. Stephen, Saint Andrews, Campobello Island Area	<b>43.0</b>
Sussex, Norton, Sussex Corner Area	<b>43.0</b>
Tracadie and Saint-Isidore	<b>43.1</b>

	Year 2020
<b>Age</b>	
18-64	40.4
65 and over	36.4
<b>Sex at birth</b>	
Female	41.2
Male	37.1
<b>Sexual identity</b>	
Minority sexual identity	34.6
Heterosexual	39.3
<b>Language</b>	
Preferred language of service: English	37.4
Preferred language of service: French	44.6
<b>Indigenous identity</b>	
Indigenous	46.6
Non-Indigenous	38.6
<b>Immigrant</b>	
Immigrants	44.8
Non-immigrants	39.3
<b>Education level</b>	
High school or less	41.0
Postsecondary	38.1
<b>Household income</b>	
Less than \$25,000	45.0

	Year 2020
\$25,000 to less than \$60,000	39.4
\$60,000 or more	37.5
<b>Persons with a disability</b>	
Without disability	41.5
With disability	36.3

### About

This indicator is the percentage of citizens [who have a primary care provider and have visited a hospital emergency department in the last 12 months] who thought they could have been treated by their primary care provider if they had been available.

### Source

Primary Health Survey and Primary Care Survey

### Calculations

This indicator is based on respondents who have a family doctor or a nurse practitioner and have visited a hospital emergency department in the last 12 months . This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: The last time you went to the hospital "emergency department" was it for a condition that you thought could have been treated by your family doctor or nurse practitioner if they had been available?

### Notes

Due to changes in content and methodology, this indicator has been discontinued. The following indicator(s) are related to this one and can be typed into the indicator search box on our website: PC\_NAVED\_1. The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	NBHC code
%	PH_USEEC_1

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size