

## [DISCONTINUED] Citizens who have a primary care provider and have visited a hospital emergency department in the last 12 months who thought they could have been treated by their primary care provider if they had been available

Unit : %

	Year 2020
<b>Province</b>	
New Brunswick	<b>39.7</b>
<b>Health zones</b>	
Zone 1 - Moncton and South-East Area	<b>31.3</b>
Zone 2 - Fundy Shore and Saint John Area	<b>37.6</b>
Zone 3 - Fredericton and River Valley Area	<b>42.0</b>
Zone 4 - Madawaska and North-West Area	<b>56.0</b>
Zone 5 - Restigouche Area	<b>46.8</b>
Zone 6 - Bathurst and Acadian Peninsula Area	<b>50.4</b>
Zone 7 - Miramichi Area	<b>41.1</b>
<b>Communities</b>	
Bathurst, Beresford, Petit-Rocher Area	<b>46.3</b>
Bouctouche, Richibucto, Saint-Antoine Area	<b>46.6</b>
Campbellton, Atholville, Tide Head Area	<b>53.6</b>
Caraquet, Paquetville, Bertrand Area	<b>46.5</b>
Dalhousie, Balmoral, Belledune Area	<b>39.5</b>
Dieppe and Memramcook	<b>18.8</b>
Douglas, Saint Marys, Doaktown Area	<b>37.6</b>
Edmundston, Rivière-Verte, Lac Baker Area	<b>52.5</b>
Florenceville-Bristol, Woodstock, Wakefield Area	<b>50.0</b>

	Year 2020
Fredericton	32.4
Grand Bay-Westfield, Westfield, Greenwich Area	29.3
Grand Falls, Saint-Léonard, Drummond Area	61.1
Hillsborough, Riverside-Albert, Alma Area	27.4
Kedgwick, Saint-Quentin and Grimmer	53.0
Minto, Chipman, Cambridge-Narrows Area	43.6
Miramichi, Rogersville, Blackville Area	37.3
Moncton	27.5
Nackawic, McAdam, Canterbury Area	28.4
Neguac, Alnwick, Esgenoopetitj Area	56.7
New Maryland, Kingsclear, Lincoln Area	35.0
Oromocto, Gagetown, Fredericton Junction Area	55.2
Perth-Andover, Plaster Rock, Tobique Area	63.8
Quispamsis, Rothesay, Hampton Area	23.7
Riverview and Coverdale	19.9
Sackville, Dorchester, Port Elgin Area	58.8
Saint John, Simonds and Musquash	30.5
Salisbury and Petitcodiac	60.2
Shediac, Beaubassin East and Cap-Pelé	28.3
Shippagan, Lamèque, Inkerman Area	47.7
St. George, Grand Manan, Blacks Harbour Area	48.8
St. Stephen, Saint Andrews, Campobello Island Area	43.0
Sussex, Norton, Sussex Corner Area	43.0
Tracadie and Saint-Isidore	43.1

	Year 2020
<b>Age</b>	
18-64	40.4
65 and over	36.4
<b>Sex at birth</b>	
Female	41.2
Male	37.1
<b>Sexual identity</b>	
Minority sexual identity	34.6
Heterosexual	39.3
<b>Language</b>	
Preferred language of service: English	37.4
Preferred language of service: French	44.6
<b>Indigenous identity</b>	
Indigenous	46.6
Non-Indigenous	38.6
<b>Immigrant</b>	
Immigrants	44.8
Non-immigrants	39.3
<b>Education level</b>	
High school or less	41.0
Postsecondary	38.1
<b>Household income</b>	
Less than \$25,000	45.0

	Year 2020
\$25,000 to less than \$60,000	39.4
\$60,000 or more	37.5
<b>Persons with a disability</b>	
Without disability	41.5
With disability	36.3

## About

This indicator is the percentage of citizens [who have a primary care provider and have visited a hospital emergency department in the last 12 months] who thought they could have been treated by their primary care provider if they had been available.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have a family doctor or a nurse practitioner and have visited a hospital emergency department in the last 12 months . This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: The last time you went to the hospital "emergency department" was it for a condition that you thought could have been treated by your family doctor or nurse practitioner if they had been available?

## Notes

Due to changes in content and methodology, this indicator has been discontinued. The following indicator(s) are related to this one and can be typed into the indicator search box on our website: PC\_NAVED\_1. The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	NBHC code
%	PH_USEEC_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size