

Citizens who most often go to some other place of care (not listed in the questionnaire) when sick or in need of care from a health professional

Unit : %

	Year 2017	Year 2014	Year 2011
Province			
New Brunswick	0.6	0.7	1.7
Health zones			
Zone 1 - Moncton and South-East Area	0.4	0.3	1.4
Zone 2 - Fundy Shore and Saint John Area	0.2	1.2	1.6
Zone 3 - Fredericton and River Valley Area	1.4	1.0	2.5
Zone 4 - Madawaska and North-West Area	1.0	0.8	1.6
Zone 5 - Restigouche Area	S	S	S
Zone 6 - Bathurst and Acadian Peninsula Area	0.5	S	1.5
Zone 7 - Miramichi Area	S	S	1.1
Communities			
Bathurst, Beresford, Petit-Rocher Area	S	S	1.9
Bouctouche, Richibucto, Saint-Antoine Area	0.0	0.0	1.5
Campbellton, Atholville, Tide Head Area	S	S	S
Caraquet, Paquetville, Bertrand Area	S	0.0	S
Dalhousie, Balmoral, Belledune Area	S	0.0	S
Dieppe and Memramcook	S	S	S
Douglas, Saint Marys, Doaktown Area	0.0	S	S
Edmundston, Rivière-Verte, Lac Baker Area	1.4	S	1.7
Florenceville-Bristol, Woodstock, Wakefield Area	S	1.1	1.1
Fredericton	S	S	2.4
Grand Bay-Westfield, Westfield, Greenwich Area	0.0	S	S

	Year 2017	Year 2014	Year 2011
Grand Falls, Saint-Léonard, Drummond Area	S	S	S
Hillsborough, Riverside-Albert, Alma Area	0.0	S	S
Kedgwick, Saint-Quentin and Grimmer	S	0.0	S
Minto, Chipman, Cambridge-Narrows Area	0.0	S	S
Miramichi, Rogersville, Blackville Area	S	S	0.8
Moncton	0.4	S	1.3
Nackawic, McAdam, Canterbury Area	S	S	S
Neguac, Alnwick, Esgenoopetitj Area	0.0	0.0	S
New Maryland, Kingsclear, Lincoln Area	S	S	S
Oromocto, Gagetown, Fredericton Junction Area	8.7	S	10.6
Perth-Andover, Plaster Rock, Tobique Area	0.0	S	S
Quispamsis, Rothesay, Hampton Area	S	S	1.4
Riverview and Coverdale	S	S	S
Sackville, Dorchester, Port Elgin Area	S	S	S
Saint John, Simonds and Musquash	S	1.5	1.8
Salisbury and Petitcodiac	0.0	S	S
Shediac, Beaubassin East and Cap-Pelé	S	S	1.8
Shippagan, Lamèque, Inkerman Area	0.0	S	S
St. George, Grand Manan, Blacks Harbour Area	S	1.8	S
St. Stephen, Saint Andrews, Campobello Island Area	S	S	2.2
Sussex, Norton, Sussex Corner Area	S	S	S
Tracadie and Saint-Isidore	S	S	S
Age			
18-64	0.7	0.7	1.7

	Year 2017	Year 2014	Year 2011
65 and over	0.5	0.5	1.6
Sex at birth			
Female	0.4	0.7	1.4
Male	0.9	0.6	1.9
Sexual identity			
Minority sexual identity	n/a	n/a	n/a
Heterosexual	n/a	n/a	n/a
Language			
Preferred language of service: English	0.6	0.8	1.5
Preferred language of service: French	0.7	0.5	1.1
Indigenous identity			
Indigenous	S	S	1.6
Non-Indigenous	0.6	0.7	1.7
Immigrant			
Immigrants	1.1	n/a	n/a
Non-immigrants	0.6	n/a	n/a
Education level			
High school or less	0.6	0.6	1.7
Postsecondary	0.7	0.7	1.6
Household income			
Less than \$25,000	0.6	0.5	1.9
\$25,000 to less than \$60,000	0.5	0.9	1.3
\$60,000 or more	0.9	0.6	1.9

	Year 2017	Year 2014	Year 2011
Persons with a disability			
Without disability	0.6	0.4	n/a
With disability	0.8	1.5	n/a

About

This indicator is the percentage of citizens who most often go to some other place of care (not listed in the questionnaire) when sick or in need of care from a health professional.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is calculated by dividing the number of respondents who answered "go to some other place of care" by the number of respondents who answered "see your personal family doctor at his or her office or in a home visit, go to an after-hours clinic or a walk-in clinic for non-emergency health care needs, go to a community health centre where you can see different health care professionals, go to a hospital emergency department, see your nurse practitioner at his or her office or in a home visit, go to an alternative practitioner, like a chiropractor, homeopath, or massage therapist, call Tele-Care 811, go to your community pharmacist or go to some other place of car to the question: Which one of the following best describes what you do when you are sick or need care from a doctor, nurse or other health professional?

Unit	NBHC code
%	PH_USEPB_9

Caption

n/a = Not applicable / not available
S = Data suppressed due to confidentiality requirements and/or small sample size