Population change from 2016 to 2020 - all ages

Unit : %

	Year 2016 to 2020
Province	
New Brunswick	**4**
Health zones	
Zone 1 - Moncton and South-East Area	**7**
Zone 2 - Fundy Shore and Saint John Area	**4**
Zone 3 - Fredericton and River Valley Area	**5**
Zone 4 - Madawaska and North-West Area	**1**
Zone 5 - Restigouche Area	**-1**
Zone 6 - Bathurst and Acadian Peninsula Area	**0**
Zone 7 - Miramichi Area	**1**
Communities	
Bathurst, Beresford, Petit-Rocher Area	**1**
Bouctouche, Richibucto, Saint-Antoine Area	**4**
Campbellton, Atholville, Tide Head Area	**0**
Caraquet, Paquetville, Bertrand Area	**-1**
Dalhousie, Balmoral, Belledune Area	**-1**
Dieppe and Memramcook	**10**
Douglas, Saint Marys, Doaktown Area	**5**
Edmundston, Rivière-Verte, Lac Baker Area	**1**
Florenceville-Bristol, Woodstock, Wakefield Area	**2**
Fredericton	**9**
Grand Bay-Westfield, Westfield, Greenwich Area	**1**

	Year 2016 to 2020
Grand Falls, Saint-Léonard, Drummond Area	-0
Hillsborough, Riverside-Albert, Alma Area	4
Kedgwick, Saint-Quentin and Grimmer	0
Minto, Chipman, Cambridge-Narrows Area	-1
Miramichi, Rogersville, Blackville Area	1
Moncton	9
Nackawic, McAdam, Canterbury Area	7
Neguac, Alnwick, Esgenoopetitj Area	4
New Maryland, Kingsclear, Lincoln Area	5
Oromocto, Gagetown, Fredericton Junction Area	4
Perth-Andover, Plaster Rock, Tobique Area	-1
Quispamsis, Rothesay, Hampton Area	4
Riverview and Coverdale	4
Sackville, Dorchester, Port Elgin Area	6
Saint John, Simonds and Musquash	5
Salisbury and Petitcodiac	2
Shediac, Beaubassin East and Cap-Pelé	8
Shippagan, Lamèque, Inkerman Area	-1
St. George, Grand Manan, Blacks Harbour Area	2
St. Stephen, Saint Andrews, Campobello Island Area	3
Sussex, Norton, Sussex Corner Area	2
Tracadie and Saint-Isidore	1

About

The description is not yet available.

Source

Census, semi-custom profile

Calculations

Indicators calculated by the NBHC. Details to come.

Unit	NBHC code
%	STATC-SCCEN-024

Caption
n/a = Not applicable / not available
S = Data suppressed due to confidentiality requirements and/or small sample size