

## Citizens receiving home care services who reported that they have been diagnosed or treated for high cholesterol

Unit : %

	Year 2021	Year 2018
<b>Province</b>		
New Brunswick	28.4	30.4
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	27.3	29.9
Zone 2 - Fundy Shore and Saint John Area	28.3	29.2
Zone 3 - Fredericton and River Valley Area	26.7	31.1
Zone 4 - Madawaska and North-West Area	29.2	28.6
Zone 5 - Restigouche Area	34.4	30.8
Zone 6 - Bathurst and Acadian Peninsula Area	27.7	30.8
Zone 7 - Miramichi Area	33.4	35.0
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	31.3	32.1
Bouctouche, Richibucto, Saint-Antoine Area	22.6	30.0
Campbellton, Atholville, Tide Head Area	35.7	34.4
Caraquet, Paquetville, Bertrand Area	18.9	28.0
Dalhousie, Balmoral, Belledune Area	33.3	27.6
Dieppe and Memramcook	32.0	27.9
Douglas, Saint Marys, Doaktown Area	27.2	29.7
Edmundston, Rivière-Verte, Lac Baker Area	30.5	25.6
Florenceville-Bristol, Woodstock, Wakefield Area	25.2	30.9
Fredericton	23.8	26.7
Grand Bay-Westfield, Westfield, Greenwich Area	27.4	21.1

	Year 2021	Year 2018
Grand Falls, Saint-Léonard, Drummond Area	30.5	33.3
Hillsborough, Riverside-Albert, Alma Area	28.7	26.8
Kedgwick, Saint-Quentin and Grimmer	15.7	28.1
Minto, Chipman, Cambridge-Narrows Area	28.3	34.3
Miramichi, Rogersville, Blackville Area	33.8	36.3
Moncton	26.1	30.7
Nackawic, McAdam, Canterbury Area	27.2	33.7
Neguac, Alnwick, Esgenoopetitj Area	31.9	28.9
New Maryland, Kingsclear, Lincoln Area	32.1	37.7
Oromocto, Gagetown, Fredericton Junction Area	32.0	32.0
Perth-Andover, Plaster Rock, Tobique Area	29.4	34.3
Quispamsis, Rothesay, Hampton Area	25.3	24.3
Riverview and Coverdale	28.2	34.7
Sackville, Dorchester, Port Elgin Area	30.0	34.9
Saint John, Simonds and Musquash	28.5	30.6
Salisbury and Petitcodiac	32.8	26.4
Shediac, Beaubassin East and Cap-Pelé	29.9	26.3
Shippagan, Lamèque, Inkerman Area	29.2	27.9
St. George, Grand Manan, Blacks Harbour Area	26.1	26.2
St. Stephen, Saint Andrews, Campobello Island Area	31.4	31.4
Sussex, Norton, Sussex Corner Area	29.1	31.9
Tracadie and Saint-Isidore	26.9	32.6
<b>Age</b>		
18-64	22.4	27.3

	Year 2021	Year 2018
65 and over	30.3	31.8
<b>Gender</b>		
Female	27.0	29.8
Male	30.3	31.4
<b>Language</b>		
Preferred language of service: English	28.9	31.1
Preferred language of service: French	27.7	29.0
<b>Indigenous identity</b>		
Indigenous	27.9	33.3
Non-Indigenous	28.3	30.5
<b>Education level</b>		
High school or less	29.5	31.9
Postsecondary	27.1	27.6
<b>Household income</b>		
Less than \$25,000	30.5	33.4
\$25,000 to less than \$60,000	28.8	30.8
\$60,000 or more	21.4	23.4

## About

This indicator is the percentage of citizens receiving home care services who reported that they have been diagnosed or treated for high cholesterol.

## Source

Home Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Has a doctor or any other health professional ever diagnosed you with or treated you for any of the following chronic health conditions? Please select all that apply: arthritis, asthma, emphysema or COPD (chronic obstructive pulmonary disease), chronic pain, cancer, diabetes, depression, heart disease, stroke, high blood pressure or hypertension, a mood disorder other than depression, such as bipolar disorder, mania, manic depression or dysthymia, gastric reflux (or GERD), alzheimer's disease or another form of dementia, anxiety or high cholesterol.

## Notes

The 2021 edition of the Home Care Survey was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, users are advised to use the survey data with caution, especially when creating estimates for small sub-populations or when comparing it to other editions of the survey.

---

Unit	NBHC code
%	HC_CHCHC_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size