

[DISCONTINUED] Students in grades 6 to 12 who report drinking one or more servings of a non-nutritious beverage the day before the survey

Unit : %

Academic Year
2018-2019

Province

New Brunswick	53.5
---------------	-------------

Health zones

Zone 1 - Moncton and South-East Area	49.8
--------------------------------------	-------------

Zone 2 - Fundy Shore and Saint John Area	55.4
--	-------------

Zone 3 - Fredericton and River Valley Area	54.3
--	-------------

Zone 4 - Madawaska and North-West Area	50.3
--	-------------

Zone 5 - Restigouche Area	57.6
---------------------------	-------------

Zone 6 - Bathurst and Acadian Peninsula Area	55.0
--	-------------

Zone 7 - Miramichi Area	58.6
-------------------------	-------------

Communities

Bathurst, Beresford, Petit-Rocher Area	57.8
--	-------------

Bouctouche, Richibucto, Saint-Antoine Area	57.1
--	-------------

Campbellton, Atholville, Tide Head Area	56.1
---	-------------

Caraquet, Paquetville, Bertrand Area	44.8
--------------------------------------	-------------

Dalhousie, Balmoral, Belledune Area	59.6
-------------------------------------	-------------

Dieppe and Memramcook	40.3
-----------------------	-------------

Douglas, Saint Marys, Doaktown Area	64.6
-------------------------------------	-------------

Edmundston, Rivière-Verte, Lac Baker Area	47.5
---	-------------

Florenceville-Bristol, Woodstock, Wakefield Area	58.0
--	-------------

Fredericton	47.3
-------------	-------------

Grand Bay-Westfield, Westfield, Greenwich Area	54.3
--	-------------

	Academic Year 2018-2019
Grand Falls, Saint-Léonard, Drummond Area	52.5
Hillsborough, Riverside-Albert, Alma Area	67.0
Kedgwick, Saint-Quentin and Grimmer	60.2
Minto, Chipman, Cambridge-Narrows Area	59.8
Miramichi, Rogersville, Blackville Area	58.6
Moncton	48.5
Nackawic, McAdam, Canterbury Area	67.7
Neguac, Alnwick, Esgenoopetitj Area	59.2
New Maryland, Kingsclear, Lincoln Area	58.9
Oromocto, Gagetown, Fredericton Junction Area	59.7
Perth-Andover, Plaster Rock, Tobique Area	66.2
Quispamsis, Rothesay, Hampton Area	46.3
Riverview and Coverdale	53.1
Sackville, Dorchester, Port Elgin Area	52.8
Saint John, Simonds and Musquash	58.7
Salisbury and Petitcodiac	58.6
Shediac, Beaubassin East and Cap-Pelé	44.5
Shippagan, Lamèque, Inkerman Area	53.2
St. George, Grand Manan, Blacks Harbour Area	57.2
St. Stephen, Saint Andrews, Campobello Island Area	63.3
Sussex, Norton, Sussex Corner Area	59.4
Tracadie and Saint-Isidore	57.2
School districts	
Anglophone East School District	53.1

	Academic Year 2018-2019
Anglophone North School District	61.5
Anglophone South School District	55.6
Anglophone West School District	55.8
Anglophone sector	55.8
District scolaire francophone Nord-Est	53.6
District scolaire francophone Nord-Ouest	50.4
District scolaire francophone Sud	42.7
Francophone sector	47.7
Grades	
Grades 6 to 8	55.0
Grades 9 to 12	52.4

About

THIS INDICATOR HAS BEEN DISCONTINUED AND REPLACED WITH "SH_EHA04_1". This indicator is the percentage of students in grade 6 to 12 who report drinking one or more servings of a non-nutritious beverage the day before the survey, based on their responses to 5 individual questions in the survey.

Source

Student Wellness and Education Survey, Grades 6-12

Calculations

This indicator adds the responses to the following 5 individual questions: 'Yesterday, how many servings of fruit-flavoured drinks did you drink? (e.g., one cup or drinking box-size serving of punch, Sunny D®, or lemonade, and Slushies®)', 'Yesterday, how many servings of regular (non-diet) pop or soft drinks did you drink? (e.g., one cup or can of pop)', 'Yesterday, how many servings of diet pop or soft drinks did you drink? (e.g., one cup or one can)', 'Yesterday, how many servings of sports drinks did you drink? (e.g., one cup or small bottle of Gatorade®)' and 'Yesterday, how many servings of high energy drinks did you drink? (e.g., one cup or can of Red Bull®)'. The response options for these 4 individual questions are: none, 1 serving, 2 servings, 3 servings, 4 servings, 5 servings and 6+ servings. This indicator is calculated by dividing the number of respondents who have a total combined response of '1 or more servings' by the number of respondents who answered at least 1 of the 5 individual questions.

Unit	Interpretation	NBHC code
%	Lower is better	SH_DRINN_1

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size