

## [DISCONTINUED] Students in grades 6 to 12 who report having ever tried using e-cigarettes (electronic cigarettes, vape)

Unit : %

Academic Year  
2018-2019

### Province

New Brunswick 29.3

### Health zones

Zone 1 - Moncton and South-East Area 26.1

Zone 2 - Fundy Shore and Saint John Area 32.5

Zone 3 - Fredericton and River Valley Area 27.7

Zone 4 - Madawaska and North-West Area 29.6

Zone 5 - Restigouche Area 30.8

Zone 6 - Bathurst and Acadian Peninsula Area 30.8

Zone 7 - Miramichi Area 34.1

### Communities

Bathurst, Beresford, Petit-Rocher Area 30.9

Bouctouche, Richibucto, Saint-Antoine Area 34.0

Campbellton, Atholville, Tide Head Area 29.7

Caraquet, Paquetville, Bertrand Area 26.5

Dalhousie, Balmoral, Belledune Area 32.4

Dieppe and Memramcook 20.1

Douglas, Saint Marys, Doaktown Area 29.7

Edmundston, Rivière-Verte, Lac Baker Area 30.1

Florenceville-Bristol, Woodstock, Wakefield Area 29.9

Fredericton 25.1

Grand Bay-Westfield, Westfield, Greenwich Area 9.8

	<b>Academic Year 2018-2019</b>
Grand Falls, Saint-Léonard, Drummond Area	<b>23.5</b>
Hillsborough, Riverside-Albert, Alma Area	<b>36.6</b>
Kedgwick, Saint-Quentin and Grimmer	<b>34.3</b>
Minto, Chipman, Cambridge-Narrows Area	<b>25.7</b>
Miramichi, Rogersville, Blackville Area	<b>35.1</b>
Moncton	<b>22.5</b>
Nackawic, McAdam, Canterbury Area	<b>35.8</b>
Neguac, Alnwick, Esgenoopetitj Area	<b>25.7</b>
New Maryland, Kingsclear, Lincoln Area	<b>25.2</b>
Oromocto, Gagetown, Fredericton Junction Area	<b>29.6</b>
Perth-Andover, Plaster Rock, Tobique Area	<b>32.7</b>
Quispamsis, Rothesay, Hampton Area	<b>30.5</b>
Riverview and Coverdale	<b>30.3</b>
Sackville, Dorchester, Port Elgin Area	<b>30.0</b>
Saint John, Simonds and Musquash	<b>36.8</b>
Salisbury and Petitcodiac	<b>32.9</b>
Shediac, Beaubassin East and Cap-Pelé	<b>29.1</b>
Shippagan, Lamèque, Inkerman Area	<b>35.8</b>
St. George, Grand Manan, Blacks Harbour Area	<b>34.2</b>
St. Stephen, Saint Andrews, Campobello Island Area	<b>25.7</b>
Sussex, Norton, Sussex Corner Area	<b>30.7</b>
Tracadie and Saint-Isidore	<b>30.7</b>
<b>School districts</b>	
Anglophone East School District	<b>26.8</b>

**Academic Year**  
 2018-2019

Anglophone North School District	35.9
Anglophone South School District	33.4
Anglophone West School District	28.3
Anglophone sector	30.5
District scolaire francophone Nord-Est	29.8
District scolaire francophone Nord-Ouest	30.2
District scolaire francophone Sud	22.0
Francophone sector	26.1

### Grades

Grades 6 to 8	10.3
Grades 9 to 12	42.7

### Sex at birth

Female	29.1
Male	29.5

### Indigenous identity

Indigenous	34.3
Non-Indigenous	29.4

### Immigrant

Immigrants	20.1
Non-immigrants	30.1

About

THIS INDICATOR HAS BEEN DISCONTINUED AND REPLACED WITH "SH\_VAP01\_1".  
This indicator is the percentage of students in grades 6 to 12 who report having ever tried using e-cigarettes (electronic cigarettes, vape).

Source

Student Wellness and Education Survey - Grades 6-12

Calculations

This indicator is calculated by dividing the number of respondents who selected "Using e-cigarettes (electronic cigarettes, vape)" by the "total number of respondents", to the question: Have you ever tried any of the following? Smoking little cigars or cigarillos (plain or flavoured), smoking cigars (not including little cigars or cigarillos, plain or flavoured), smoking roll-your-own cigarettes (tobacco only, in rolling papers), smoking bidis (little cigarettes hand-rolled in leaves, tied with string at the ends, and may come in different flavours), using smokeless tobacco (chewing tobacco, pinch, snuff, or snus), using nicotine patches, nicotine gum, nicotine lozenges, or nicotine inhalers, using a water-pipe (hookah) to smoke sheesha (herbal or tobacco), using blunt wraps (a tube made of tobacco used to roll cigarette tobacco) and using e-cigarettes (electronic cigarettes, vape) ?

Unit	Interpretation	NBHC code
%	Lower is better	SH_SMOEC_1

Caption

n/a = Not applicable / not available  
S = Data suppressed due to confidentiality requirements and/or small sample size