

## [DISCONTINUED] Students in grades 6 to 12 who report having ever tried using e-cigarettes (electronic cigarettes, vape)

Unit : %

Academic Year  
2018-2019

### Province

New Brunswick	<b>29.3</b>
---------------	-------------

### Health zones

Zone 1 - Moncton and South-East Area	<b>26.1</b>
--------------------------------------	-------------

Zone 2 - Fundy Shore and Saint John Area	<b>32.5</b>
--	-------------

Zone 3 - Fredericton and River Valley Area	<b>27.7</b>
--	-------------

Zone 4 - Madawaska and North-West Area	<b>29.6</b>
--	-------------

Zone 5 - Restigouche Area	<b>30.8</b>
---------------------------	-------------

Zone 6 - Bathurst and Acadian Peninsula Area	<b>30.8</b>
--	-------------

Zone 7 - Miramichi Area	<b>34.1</b>
-------------------------	-------------

### Communities

Bathurst, Beresford, Petit-Rocher Area	<b>30.9</b>
--	-------------

Bouctouche, Richibucto, Saint-Antoine Area	<b>34.0</b>
--	-------------

Campbellton, Atholville, Tide Head Area	<b>29.7</b>
---	-------------

Caraquet, Paquetville, Bertrand Area	<b>26.5</b>
--------------------------------------	-------------

Dalhousie, Balmoral, Belledune Area	<b>32.4</b>
-------------------------------------	-------------

Dieppe and Memramcook	<b>20.1</b>
-----------------------	-------------

Douglas, Saint Marys, Doaktown Area	<b>29.7</b>
-------------------------------------	-------------

Edmundston, Rivière-Verte, Lac Baker Area	<b>30.1</b>
---	-------------

Florenceville-Bristol, Woodstock, Wakefield Area	<b>29.9</b>
--	-------------

Fredericton	<b>25.1</b>
-------------	-------------

Grand Bay-Westfield, Westfield, Greenwich Area	<b>9.8</b>
--	------------

	Academic Year 2018-2019
Grand Falls, Saint-Léonard, Drummond Area	23.5
Hillsborough, Riverside-Albert, Alma Area	36.6
Kedgwick, Saint-Quentin and Grimmer	34.3
Minto, Chipman, Cambridge-Narrows Area	25.7
Miramichi, Rogersville, Blackville Area	35.1
Moncton	22.5
Nackawic, McAdam, Canterbury Area	35.8
Neguac, Alnwick, Esgenoopetitj Area	25.7
New Maryland, Kingsclear, Lincoln Area	25.2
Oromocto, Gagetown, Fredericton Junction Area	29.6
Perth-Andover, Plaster Rock, Tobique Area	32.7
Quispamsis, Rothesay, Hampton Area	30.5
Riverview and Coverdale	30.3
Sackville, Dorchester, Port Elgin Area	30.0
Saint John, Simonds and Musquash	36.8
Salisbury and Petitcodiac	32.9
Shediac, Beaubassin East and Cap-Pelé	29.1
Shippagan, Lamèque, Inkerman Area	35.8
St. George, Grand Manan, Blacks Harbour Area	34.2
St. Stephen, Saint Andrews, Campobello Island Area	25.7
Sussex, Norton, Sussex Corner Area	30.7
Tracadie and Saint-Isidore	30.7
<b>School districts</b>	
Anglophone East School District	26.8

	Academic Year 2018-2019
Anglophone North School District	35.9
Anglophone South School District	33.4
Anglophone West School District	28.3
Anglophone sector	30.5
District scolaire francophone Nord-Est	29.8
District scolaire francophone Nord-Ouest	30.2
District scolaire francophone Sud	22.0
Francophone sector	26.1
<b>Grades</b>	
Grades 6 to 8	10.3
Grades 9 to 12	42.7
<b>Sex at birth</b>	
Female	29.1
Male	29.5
<b>Indigenous identity</b>	
Indigenous	34.3
Non-Indigenous	29.4
<b>Immigrant</b>	
Immigrants	20.1
Non-immigrants	30.1

### About

THIS INDICATOR HAS BEEN DISCONTINUED AND REPLACED WITH "SH\_VAP01\_1". This indicator is the percentage of students in grades 6 to 12 who report having ever tried using e-cigarettes (electronic cigarettes, vape).

### Source

Student Wellness and Education Survey, Grades 6-12

### Calculations

This indicator is calculated by dividing the number of respondents who selected "Using e-cigarettes (electronic cigarettes, vape)" by the "total number of respondents", to the question: Have you ever tried any of the following? Smoking little cigars or cigarillos (plain or flavoured), smoking cigars (not including little cigars or cigarillos, plain or flavoured), smoking roll-your-own cigarettes (tobacco only, in rolling papers), smoking bidis (little cigarettes hand-rolled in leaves, tied with string at the ends, and may come in different flavours), using smokeless tobacco (chewing tobacco, pinch, snuff, or snus), using nicotine patches, nicotine gum, nicotine lozenges, or nicotine inhalers, using a water-pipe (hookah) to smoke sheesha (herbal or tobacco), using blunt wraps (a tube made of tobacco used to roll cigarette tobacco) and using e-cigarettes (electronic cigarettes, vape) ?

---

Unit	Interpretation	NBHC code
%	Lower is better	SH_SMOEC_1

### Caption

n/a = Not applicable / not available  
 S = Data suppressed due to confidentiality requirements and/or small sample size