[DISCONTINUED] Students in grades 6 to 12 who report having ever tried using e-cigarettes (electronic cigarettes, vape)

Unit : %

	Academic Year 2018-2019
Province	
New Brunswick	**29.3**
Health zones	
Zone 1 - Moncton and South-East Area	**26.1**
Zone 2 - Fundy Shore and Saint John Area	**32.5**
Zone 3 - Fredericton and River Valley Area	**27.7**
Zone 4 - Madawaska and North-West Area	**29.6**
Zone 5 - Restigouche Area	**30.8**
Zone 6 - Bathurst and Acadian Peninsula Area	**30.8**
Zone 7 - Miramichi Area	**34.1**
Communities	
Bathurst, Beresford, Petit-Rocher Area	**30.9**
Bouctouche, Richibucto, Saint-Antoine Area	**34.0**
Campbellton, Atholville, Tide Head Area	**29.7**
Caraquet, Paquetville, Bertrand Area	**26.5**
Dalhousie, Balmoral, Belledune Area	**32.4**
Dieppe and Memramcook	**20.1**
Douglas, Saint Marys, Doaktown Area	**29.7**
Edmundston, Rivière-Verte, Lac Baker Area	**30.1**
Florenceville-Bristol, Woodstock, Wakefield Area	**29.9**
Fredericton	**25.1**
Grand Bay-Westfield, Westfield, Greenwich Area	**9.8**

	Academic Year 2018-2019
Grand Falls, Saint-Léonard, Drummond Area	**23.5**
Hillsborough, Riverside-Albert, Alma Area	**36.6**
Kedgwick, Saint-Quentin and Grimmer	**34.3**
Minto, Chipman, Cambridge-Narrows Area	**25.7**
Miramichi, Rogersville, Blackville Area	**35.1**
Moncton	**22.5**
Nackawic, McAdam, Canterbury Area	**35.8**
Neguac, Alnwick, Esgenoopetitj Area	**25.7**
New Maryland, Kingsclear, Lincoln Area	**25.2**
Oromocto, Gagetown, Fredericton Junction Area	**29.6**
Perth-Andover, Plaster Rock, Tobique Area	**32.7**
Quispamsis, Rothesay, Hampton Area	**30.5**
Riverview and Coverdale	**30.3**
Sackville, Dorchester, Port Elgin Area	**30.0**
Saint John, Simonds and Musquash	**36.8**
Salisbury and Petitcodiac	**32.9**
Shediac, Beaubassin East and Cap-Pelé	**29.1**
Shippagan, Lamèque, Inkerman Area	**35.8**
St. George, Grand Manan, Blacks Harbour Area	**34.2**
St. Stephen, Saint Andrews, Campobello Island Area	**25.7**
Sussex, Norton, Sussex Corner Area	**30.7**
Tracadie and Saint-Isidore	**30.7**

School districts

Anglophone East School District	**26.8**

	Academic Year 2018-2019
Anglophone North School District	**35.9**
Anglophone South School District	**33.4**
Anglophone West School District	**28.3**
Anglophone sector	**30.5**
District scolaire francophone Nord-Est	**29.8**
District scolaire francophone Nord-Ouest	**30.2**
District scolaire francophone Sud	**22.0**
Francophone sector	**26.1**
Grades	
Grades 6 to 8	**10.3**
Grades 9 to 12	**42.7**
Sex at birth	
Female	**29.1**
Male	**29.5**
Indigenous identity	
Indigenous	**34.3**
Non-Indigenous	**29.4**
Immigrant	
Immigrants	**20.1**
Non-immigrants	**30.1**

About

THIS INDICATOR HAS BEEN DISCONTINUED AND REPLACED WITH "SH_VAP01_1". This indicator is the percentage of students in grades 6 to 12 who report having ever tried using e-cigarettes (electronic cigarettes, vape).

Source

Student Wellness and Education Survey, Grades 6-12

Calculations

This indicator is calculated by dividing the number of respondents who selected "Using e-cigarettes (electronic cigarettes, vape)" by the "total number of respondents", to the question: Have you ever tried any of the following? Smoking little cigars or cigarillos (plain or flavoured), smoking cigars (not including little cigars or cigarillos, plain or flavoured), smoking roll-your-own cigarettes (tobacco only, in rolling papers), smoking bidis (little cigarettes hand-rolled in leaves, tied with string at the ends, and may come in different flavours), using smokeless tobacco (chewing tobacco, pinch, snuff, or snus), using nicotine patches, nicotine gum, nicotine lozenges, or nicotine inhalers, using a water-pipe (hookah) to smoke sheesha (herbal or tobacco), using blunt wraps (a tube made of tobacco used to roll cigarette tobacco) and using e-cigarettes (electronic cigarettes, vape) ?

Unit	Interpretation	NBHC code
%	Lower is better	SH_SMOEC_1

Caption

n/a = Not applicable / not available
S = Data suppressed due to confidentiality requirements and/or small sample size