

## Citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because of reasons other than those listed in the questionnaire

Unit : %

	Year 2023	Year 2022
<b>Province</b>		
New Brunswick	26.0	29.3
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	23.4	28.3
Zone 2 - Fundy Shore and Saint John Area	26.8	34.4
Zone 3 - Fredericton and River Valley Area	29.6	20.1
Zone 4 - Madawaska and North-West Area	S	S
Zone 5 - Restigouche Area	S	S
Zone 6 - Bathurst and Acadian Peninsula Area	S	S
Zone 7 - Miramichi Area	S	S
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	n/a	n/a
Bouctouche, Richibucto, Saint-Antoine Area	n/a	n/a
Campbellton, Atholville, Tide Head Area	n/a	n/a
Caraquet, Paquetville, Bertrand Area	n/a	n/a
Dalhousie, Balmoral, Belledune Area	n/a	n/a
Dieppe and Memramcook	n/a	n/a
Douglas, Saint Marys, Doaktown Area	n/a	n/a
Edmundston, Rivière-Verte, Lac Baker Area	n/a	n/a
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	n/a

	Year 2023	Year 2022
Fredericton	n/a	n/a
Grand Falls, Saint-Léonard, Drummond Area	n/a	n/a
Hillsborough, Riverside-Albert, Alma Area	n/a	n/a
Kedgwick, Saint-Quentin and Grimmer	n/a	n/a
Minto, Chipman, Cambridge-Narrows Area	n/a	n/a
Miramichi, Rogersville, Blackville Area	n/a	n/a
Moncton	n/a	n/a
Nackawic, McAdam, Canterbury Area	n/a	n/a
Neguac, Alnwick, Esgenoopetitj Area	n/a	n/a
New Maryland, Kingsclear, Lincoln Area	n/a	n/a
Oromocto, Gagetown, Fredericton Junction Area	n/a	n/a
Perth-Andover, Plaster Rock, Tobique Area	n/a	n/a
Quispamsis, Rothesay, Hampton Area	n/a	n/a
Riverview and Coverdale	n/a	n/a
Sackville, Dorchester, Port Elgin Area	n/a	n/a
Saint John, Simonds and Musquash	n/a	n/a
Salisbury and Petitcodiac	n/a	n/a
Shediac, Beaubassin East and Cap-Pelé	n/a	n/a
Shippagan, Lamèque, Inkerman Area	n/a	n/a
St. George, Grand Manan, Blacks Harbour Area	n/a	n/a
St. Stephen, Saint Andrews, Campobello Island Area	n/a	n/a
Sussex, Norton, Sussex Corner Area	n/a	n/a
Tracadie and Saint-Isidore	n/a	n/a

## Age

	Year 2023	Year 2022
18-64	25.4	28.8
65 and over	31.6	34.9
<b>Gender</b>		
Female	26.2	29.8
Male	25.8	29.3
<b>2SLGBTQIA+ status</b>		
2SLGBTQIA+	S	S
<b>Language</b>		
Most comfortable in English	27.4	n/a
Most comfortable in French	23.8	n/a
Comfortable in both English and French	S	n/a
<b>Indigenous identity</b>		
Indigenous	S	S
<b>Immigrant</b>		
Immigrants	S	S
<b>Education level</b>		
High school or less	30.6	32.4
Postsecondary	23.7	27.8
<b>Disability or special need</b>		
Disability or special need	33.1	n/a
<b>Household income</b>		
Less than \$30,000	35.5	n/a
\$30,000 to less than \$60,000	18.6	n/a

	Year 2023	Year 2022
\$60,000 or more	27.9	n/a
<b>Racialized groups</b>		
Racialized groups	S	n/a

## About

This indicator is the percentage of citizens who felt they needed to see or talk to a health professional about their mental or emotional health, or about the use of alcohol or drugs in the last 12 months but did not because of reasons other than those listed in the questionnaire.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who felt that they needed to see or talk to a health professional in the last 12 months about their mental or emotional health, or their use of alcohol or drugs and who didn't. This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the last 12 months, why didn't you see or talk to a doctor, nurse or other health professional about your mental or emotional health, or about the use of alcohol or drugs? i) Other reason(s) , please specify

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Lower is better	PH_MHI06_10

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size