

## Citizens who reported that they had a consultation with a pharmacist in the last 12 months because their primary care provider was not available

Unit : %

	Year 2023
<b>Province</b>	
New Brunswick	38.1
<b>Health zones</b>	
Zone 1 - Moncton and South-East Area	35.6
Zone 2 - Fundy Shore and Saint John Area	37.0
Zone 3 - Fredericton and River Valley Area	42.4
Zone 4 - Madawaska and North-West Area	39.1
Zone 5 - Restigouche Area	37.8
Zone 6 - Bathurst and Acadian Peninsula Area	37.9
Zone 7 - Miramichi Area	40.8
<b>Age</b>	
18-64	38.3
65 and over	37.6
<b>Gender</b>	
Female	42.1
Male	33.1
<b>2SLGBTQIA+ status</b>	
2SLGBTQIA+	47.1
<b>Language</b>	
Most comfortable in English	38.5
Most comfortable in French	38.7

	Year 2023
Comfortable in both English and French	33.7
<b>Indigenous identity</b>	
Indigenous	51.1
<b>Immigrant</b>	
Immigrants	37.9
<b>Education level</b>	
High school or less	35.9
Postsecondary	39.1
<b>Disability or special need</b>	
Disability or special need	48.6
<b>Household income</b>	
Less than \$30,000	39.7
\$30,000 to less than \$60,000	37.0
\$60,000 or more	38.9
<b>Racialized groups</b>	
Racialized groups	33.0

### About

This indicator is the percentage of citizens who reported that they had a consultation with a pharmacist in the last 12 months because their primary care provider was not available.

### Source

Primary Health Survey and Primary Care Survey

### Calculations

This indicator is based on respondents who have a family doctor or a nurse practitioner. This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Thinking of the last 12 months, did you use any of the following services because your family doctor or your nurse practitioner was not available? e) Consultation with a pharmacist

---

<b>Unit</b>	<b>Interpretation</b>	<b>NBHC code</b>
%	Lower is better	PC_NAVPY_1

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size