Zone 2: Fundy Shore / S	Saint John Ar	ea	Male	Female	Average	NB Average		k among er zones	Chan since la snapsh
Population health outcomes									
Perceived health, very good or excellent		(%, 2014)	46.8	54.8	51.0	51.8	•	3/7	_
erceived mental health, very good or excellent		(%, 2014)	62.3	63.8	63.1	64.1		5/7	
ain or soreness that prevents activities (physical or emotiona	1)	(%, 2014)	16.7 ^E	17.8 ^E	17.3	17.3		4/7	=
ife satisfaction, satisfied or very satisfied	•	(%, 2014)	94.3	92.2	93.2	91.7	•	1*/7	=
ife expectancy		(age, 2007-2009)	76.8	82.1	79.5	80.2		5/7	_
nfants with less than average birth weight		(%, 2011-2013)	5.0	6.0	5.5	5.8	•	3/7	_
nfant deaths	(rate per 1,000 live	e birth, 2011-2013)	3.4	2.8	3.1	3.7		1/4	_
remature deaths from heart and stroke	(years of life lost, rate per 1	10,000 2011-2013)	154.1	57.7	105.0	92.8	•	6/7	_
remature deaths from cancer	(years of life lost, rate per 1		195.5	167.2	181.1	170.8		4/7	
remature deaths from breathing diseases	(years of life lost, rate per 1		33.6	28.0	30.8	23.2	•	6/7	_
remature deaths from unintentional injuries	(years of life lost, rate per 1		91.2	27.6	58.8	67.5	•	1/7	
remature deaths due to suicides/self-inflicted injuries	(years of life lost, rate per 1		56.2	14.7	35.1	38.6	•	1/7	A
Health determinants									
Health Services - accounts for 10% of the h	ealth determinants								
las a regular medical doctor		(%, 2014)	93.7	94.9	94.3	93.9	•	6/7	A
Nedical doctor visit within the last year		(%, 2014)	74.5	79.3	77.0	79.2	•	5*/7	•
ental professional visit within the last year		(%, 2014)			60.1	57.4	•	1/7	_
voidable hospitalizations	(aged-standardized rate per 10	00,000, 2013-2014)	407	354	381	414	•	2/7	
dults (65 years and up) who have received the flu shot in the	last year	(%, 2014)	61.3	68.8	65.8	61.1	•	1/7	
emales (18 to 69 years old) who had a Pap test within the last	3 years	(%, 2014)		76.5	76.5	74.1	•	2/7	_
emales (50 to 69 years old) who had a mammogram in the las		(%, 2014)		65.5	65.5	74.8	•	7/7	
as rated hospital services as 8, 9 or 10 on a scale of 0 (worst) to		(%, 2013)	75.6	73.9	74.8	75.4	•	6/7	_
as rated overall health care services as 8, 9 or 10 on a scale o	f 0 (worst) to 10 (best)	(%, 2014)	67.1	68.0	67.5	67.9		5/7	
lealth Behaviours - accounts for 40% of th	e health determinants								
hysical activity during free-time, moderately active or active		(%, 2014)	60.6	45.6	52.7	49.2	•	1/7	
ruit and vegetable consumption, 5 times or more per day		(%, 2014)	23.2	33.4	28.5	34.3	•	7/7	_
dults with unhealthy weight (obese)		(%, 2014)	32.3	23.5	27.7	26.4	•	5*/7	_
leavy drinking (5 or more drinks at one time, at least once a n	nonth in the past year)	(%, 2014)	32.5	16.1	24.0	21.4	•	6/7	
erceived life stress, quite a lot		(%, 2014)	16.8 ^E	21.1	19.0	20.5	•	2/7	
urrent smoker, daily or occasional		(%, 2014)	27.0	24.0	25.4	20.9	•	7/7	₹
lumber of sexually transmitted infections (genital Chlamydia)	(crude rate per 10,000		12.0	27.4	19.9	23.1	•	5/7	
eens who gave birth		000 females, 2013)		15.5	15.5	16.3		4/7	À
yclists who always wear a bicycle helmet	(1000 pc1 1)	(%, 2014)	54.0	65.0	57.5	51.5	•	1/7	_
cocial and Economic Factors - accounts for	40% of the health det	erminants						,	
o high school diploma (25-64 years old)		(%, 2011)	13.5	11.9	12.7	16.8	•	2/7	
nemployment (15+ years)		(%, 2014)			8.2	10.0	•	2/7	_
ivorced		(%, 2011)	5.1	6.7	5.9	5.2	•	7/7	
ingle parent families (of total number of census families in priv	ate households)	(%, 2011)	3.4	14.3	17.7	16.1		4/7	
ow income		(%, 2011)	14.9	18.9	17.0	17.2	•	4/7	
iolent crime	(rate ner 100 000) population, 2014)				1,164			
roperty crime		population, 2014)				2,611			
otal impaired driving under the influence (drugs or alcohol)		population, 2014)				2,011			
ense of belonging to community, somewhat strong or very st		(%, 2014)	72.2	74.0	73.1	70.4		3/7	
Physical Environment - accounts for 10% of			12.2	74.0	/3.1	70.4		3//	
oming in contact with second-hand smoke at home	dotornina	(%, 2013-2014)		4.5 ^E	4.9 ^E			2/7	
	in vahicles and/or public places		 16 6 ^E			5.0		3/7	
oming in contact with second-hand smoke in the past month		(%, 2013-2014)	16.6 ^E	10.7	13.4	14.9		3/7	
Owellings rated as having excellent, very good or good indoor	air quality	(%, 2013)				92			

 $^{^{\}it E}$ = Use data with caution; sample size too small

Occupied dwellings requiring major repairs

(%, 2011)

Bold = Updated indicator

9.6

Legend for ranking

Legend for change

▲ Favourable change

^{* =} another province has the same ranking

^{-- =} data unavailable

Doing well (ranked 1, 2, 3)

[•] Caution (ranked 4, 5, 6, 7)

Lagging (ranked 8, 9, 10)

[▼] Unfavourable change

⁼ No change

⁻⁻ Not available

Context and characteristics

Top 1	10 most frequent hospital admissions (per 10,000)	# of cases	Rate
1	Normal newborn, singleton vaginal delivery	871	49.8
2	Chronic obstructive pulmonary disease	627	35.8
3	Heart failure without coronary angiogram	429	24.5
4	Vaginal birth without anaesthetic without non-major obstetric/gynecologic intervention	402	23.0
5	Vaginal birth with anaesthetic and non-major obstetric/gynecologic intervention	373	21.3
6	Viral/unspecified pneumonia	368	21.0
7	Vaginal birth with anaesthetic without non-major obstetric/gynecologic intervention	359	20.5
8	Unilateral knee replacement	357	20.4
9	Newborn/neonate 2500+ grams, other minor problem	328	18.7
10	Palliative care	270	15.4

Top	10 most common chronic health conditions	Prevale	nce (%)
1	Hypertension	-	26.1
2	Arthritis	-	20.3
3	Depression	-	15.0
4	Gastric reflux (GERD)	-	14.8
5	Chronic pain	-	14.5
6	Asthma	-	11.2
7	Diabetes	-	10.0
8	Cancer	-	8.9
9	Heart disease	-	7.7
10	Emphysema or chronic obstructive pulmonary disease	-	3.2

Top!	5 causes of avoidable mo	rtality
_		

1	Lung cancer
2	Heart disease
3	Chronic obstructive pulmonary disease
4	Suicide
4	Cerebrovascular disease

1%

Demographic information

Population age distribution

. op and thorn ago anoth is attorn		
Total population	-	175,059
0-19 years old	-	23%
20-39 years old	-	23%
40-64 years old	-	38%
65 + years old	-	16%
Median age	-	42.8

Language spoken at home

French

Additional population characte	ristic	S
Immigrant population	-	4.7%
Aboriginal population	-	1.8%

Avoidable mortality from preventable causes: Premature deaths that could potentially have been prevented through primary prevention efforts (e.g. screening, vaccination, healthy lifestyles, air quality, etc.)

Avoidable mortality from treatable causes: Premature deaths that could potentially have been avoided through secondary or tertiary prevention (e.g. treatment and interventions that can reduce the fatality of the health condition).

^{*}Avoidable mortality refers to untimely deaths that should not occur in the presence of timely and effective health care or other public health practices, programs and policy interventions. It can be divided into two causes: