Population Health Snapshot

Zone 3: Fredericton / Ri	ver Valley Area		Male	Female	Average	NB Average		nk among ner zones	Change since las snapsho
Population health outcomes									
Perceived health, very good or excellent		(%, 2014)	52.3	57.5	55.0	51.8	•	1/7	_
Perceived mental health, very good or excellent		(%, 2014)	67.0	69.4	68.2	64.1	•	1/7	A
Pain or soreness that prevents activities (physical or emotional)		(%, 2014)	12.3 ^E	20.9 ^E	16.7	17.3	•	3/7	
ife satisfaction, satisfied or very satisfied		(%, 2014)	94.1	88.5	91.2	91.7	•	5/7	•
ife expectancy	(age, 2	2007-2009)	77.2	82.0	79.6	80.2	•	4/7	A
nfants with less than average birth weight	(%, 2	2011-2013)	5.1	5.7	5.4	5.8	•	2/7	•
nfant deaths	(rate per 1,000 live birth, 2	2011-2013)	3.7	3.3	3.5	3.7		2/4	A
remature deaths from heart and stroke	(years of life lost, rate per 10,000 2	2011-2013)	144.9	59.2	101.8	92.8	•	5/7	•
remature deaths from cancer	(years of life lost, rate per 10,000 2	2011-2013)	149.9	144.6	147.2	170.8	•	1/7	A
remature deaths from breathing diseases	(years of life lost, rate per 10,000 2	2011-2013)	34.8	17.8	26.2	23.2	•	5/7	•
remature deaths from unintentional injuries	(years of life lost, rate per 10,000 2	2011-2013)	101.1	35.7	68.2	67.5	•	3/7	_
remature deaths due to suicides/self-inflicted injuries	(years of life lost, rate per 10,000 2	2011-2013)	58.1	19.0	38.4	38.6	•	4/7	
Health determinants									
lealth Services - accounts for 10% of th	e health determinants								
as a regular medical doctor		(%, 2014)	93.8	95.5	94.6	93.9	•	5/7	A
ledical doctor visit within the last year		(%, 2014)	74.4	84.6	79.7	79.2	•	4/7	A
ental professional visit within the last year		(%, 2014)			57.0	57.4	•	3/7	_
oidable hospitalizations	(aged-standardized rate per 100,000, 2	2013-2014)	421	390	404	414	•	4/7	
lults (65 years and up) who have received the flu shot in the la	st year	(%, 2014)	51.0 ^E	67.5	60.0	61.1	•	4/7	_
males (18 to 69 years old) who had a Pap test within the last 3	years	(%, 2014)		72.6	72.6	74.1	•	3/7	_
males (50 to 69 years old) who had a mammogram in the last 2	2 years	(%, 2014)		77.7	77.7	74.8	•	2/7	
as rated hospital services as 8, 9 or 10 on a scale of 0 (worst) to 1	.0 (best)	(%, 2013)	74.2	69.5	71.6	75.4	•	7/7	_
as rated overall health care services as 8, 9 or 10 on a scale of 0	(worst) to 10 (best)	(%, 2014)	66.7	58.2	62.2	67.9	•	6/7	A
lealth Behaviours - account for 40% of t	the health determinants	3							
hysical activity during free-time, moderately active or active		(%, 2014)	51.3	41.6	46.3	49.2	•	5/7	A
uit and vegetable consumption, 5 times or more per day		(%, 2014)	26.7	41.6	34.3	34.3	•	3/7	_
dults with unhealthy weight (obese)		(%, 2014)	24.4 ^E	31.0	27.7	26.4	•	5*/7	
eavy drinking (5 or more drinks at one time, at least once a mo	nth in the past year)	(%, 2014)	22.0 ^E	19.0	20.4	21.4		5/7	\overline{A}
erceived life stress, quite a lot		(%, 2014)	19.7 ^E	19.6	19.6	20.5		4/7	_
rrent smoker, daily or occasional		(%, 2014)	18.1 ^E	20.0	19.1	20.9		3/7	Ă
umber of sexually transmitted infections (genital Chlamydia)	(crude rate per 10,000 popula		22.7	40.7	31.7	23.1	•	7/7	
ens who gave birth	(rate per 1,000 fem			17.6	17.6	16.3	÷	7/7	-
clists who always wear a bicycle helmet	(rate per 1)000 rem	(%, 2014)	56.5	56.3 ^E	56.4	51.5	•	2/7	
ocial and Economic Factors - account fo	or 40% of the health de	termina	nts						
high school diploma (25-64 years old)		(%, 2011)	14.0	11.1	12.5	16.8	•	1/7	
nemployment (15+ years)		(%, 2014)			9.5	10.0	•	4/7	▼
vorced		(%, 2011)	4.4	5.9	5.2	5.2	•	4/7	
ngle parent families (of total number of census families in privat	e households)	(%, 2011)	3.1	11.6	14.5	16.1	•	2/7	
w income	· ·	(%, 2011)	15.1	17.6	16.4	17.2	•	2/7	
olent crime	(rate per 100,000 popula					1,164		-, -	
operty crime	(rate per 100,000 popula					2,611			
tal impaired driving under the influence (drugs or alcohol)	(rate per 100,000 popula					227			
nse of belonging to community, somewhat strong or very strong		(%, 2014)	70.9	68.0	69.4	70.4	•	6/7	A
hysical Environment - accounts for 10%	•								
ming in contact with second-hand smoke at home		2013-2014)	2.3 ^E	5.7 ^E	4.1 ^E	5.0		1/7	
ming in contact with second-hand smoke at nome		2013-2014)	15.6	15.3 ^E	15.4	14.9		5/7	
Jinnig in contact with second-halfu shloke in the past month in	(%, 2	-013-2014)	15.0	15.5	15.4	14.9		5//	_

Dwellings rated as having excellent, very good or good indoor air quality

Occupied dwellings requiring major repairs

(%, 2013) (%, 2011)

Bold = Updated indicator

9.8

4/7

10.7

Legend for ranking

- Doing well (ranked 1, 2, 3)
- Caution (ranked 4, 5, 6, 7)
- ♦ Lagging (ranked 8, 9, 10)

Legend for change

▲ Favourable change

▼ Unfavourable change

= No change

-- Not available

 $^{^{\}it E}$ = Use data with caution; sample size too small

^{* =} another province has the same ranking

Context and characteristics

Top	10 most frequent hospital admissions (per 10,000)	# of cases	Rate
1	Normal newborn, singleton vaginal delivery	881	50.7
2	Chronic obstructive pulmonary disease	611	35.1
3	Vaginal birth without anaesthetic without non-major obstetric/gynecologic intervention	473	27.2
4	Myocardial infarction/shock/arrest without coronary angiogram	414	23.8
5	Palliative care	391	22.5
6	Newborn/neonate 2500+ grams, other minor problem	367	21.1
7	Vaginal birth with anaesthetic and non-major obstetric/gynecologic intervention	335	19.3
8	Heart failure without coronary angiogram	310	17.8
9	Unilateral knee replacement	305	17.5
10	Arrhythmia without coronary angiogram	282	16.2

Top	10 most common chronic health conditions	Preva	lence (%)
1	Hypertension	-	25.9
2	Arthritis	-	17.6
3	Gastric reflux (GERD)	-	16.1
4	Depression	-	15.3
5	Chronic pain	-	14.3
6	Asthma	-	13.3
7	Diabetes	-	10.7
8	Heart disease	-	8.2
9	Cancer	-	7.4
10	Emphysema or chronic obstructive pulmonary disease	-	3.2

Top 5	causes of avoidable mortality*
1	Heart disease
2	Lung cancer

	Transport accidents
5	Transport accidents
4	Chronic obstructive pulmonary disease
3	Suicide
2	Lung cancer
	i leai t disease

Demographic information

Population age distribution

ropulation age distribution		
Total population	-	173,876
0-19 years old	-	23%
20-39 years old	-	26%
40-64 years old	-	36%
65 + years old	-	15%
Median age	-	41.1

Language spoken at home

French	-	3%
English	- !	93%
Additional population cha	racteris	tics
Additional population cha		tics 5.3%

Avoidable mortality from preventable causes: Premature deaths that could potentially have been prevented through primary prevention efforts (e.g. screening, vaccination, healthy lifestyles, air quality, etc.)

Avoidable mortality from treatable causes: Premature deaths that could potentially have been avoided through secondary or tertiary prevention (e.g. treatment and interventions that can reduce the fatality of the health condition).

^{*}Avoidable mortality refers to untimely deaths that should not occur in the presence of timely and effective health care or other public health practices, programs and policy interventions. It can be divided into two causes: