

## Citizens who reported that they have required a diagnostic test (MRIs, CAT Scans or angiographies) provided in a non-emergency situation in the last 12 months

Unit : %

	Year 2020
<b>Province</b>	
New Brunswick	<b>21.4</b>
<b>Health zones</b>	
Zone 1 - Moncton and South-East Area	<b>24.6</b>
Zone 2 - Fundy Shore and Saint John Area	<b>19.3</b>
Zone 3 - Fredericton and River Valley Area	<b>18.0</b>
Zone 4 - Madawaska and North-West Area	<b>26.0</b>
Zone 5 - Restigouche Area	<b>30.0</b>
Zone 6 - Bathurst and Acadian Peninsula Area	<b>21.8</b>
Zone 7 - Miramichi Area	<b>17.4</b>
<b>Communities</b>	
Bathurst, Beresford, Petit-Rocher Area	<b>23.3</b>
Bouctouche, Richibucto, Saint-Antoine Area	<b>26.5</b>
Campbellton, Atholville, Tide Head Area	<b>29.3</b>
Caraquet, Paquetville, Bertrand Area	<b>19.9</b>
Dalhousie, Balmoral, Belledune Area	<b>30.6</b>
Dieppe and Memramcook	<b>21.5</b>
Douglas, Saint Marys, Doaktown Area	<b>11.9</b>
Edmundston, Rivière-Verte, Lac Baker Area	<b>26.5</b>
Florenceville-Bristol, Woodstock, Wakefield Area	<b>21.7</b>
Fredericton	<b>17.5</b>

	Year 2020
Grand Bay-Westfield, Westfield, Greenwich Area	22.6
Grand Falls, Saint-Léonard, Drummond Area	27.3
Hillsborough, Riverside-Albert, Alma Area	21.3
Kedgwick, Saint-Quentin and Grimmer	20.0
Minto, Chipman, Cambridge-Narrows Area	21.6
Miramichi, Rogersville, Blackville Area	17.0
Moncton	25.8
Nackawic, McAdam, Canterbury Area	16.2
Neguac, Alnwick, Esgenoopetitj Area	16.6
New Maryland, Kingsclear, Lincoln Area	16.1
Oromocto, Gagetown, Fredericton Junction Area	18.8
Perth-Andover, Plaster Rock, Tobique Area	22.6
Quispamsis, Rothesay, Hampton Area	16.9
Riverview and Coverdale	23.8
Sackville, Dorchester, Port Elgin Area	26.1
Saint John, Simonds and Musquash	19.7
Salisbury and Petitcodiac	25.5
Shediac, Beaubassin East and Cap-Pelé	23.4
Shippagan, Lamèque, Inkerman Area	19.7
St. George, Grand Manan, Blacks Harbour Area	21.6
St. Stephen, Saint Andrews, Campobello Island Area	24.5
Sussex, Norton, Sussex Corner Area	19.2
Tracadie and Saint-Isidore	21.8

## Age

	Year 2020
18-64	18.9
65 and over	28.6
<b>Sex at birth</b>	
Female	22.4
Male	20.5
<b>Sexual identity</b>	
Minority sexual identity	16.2
Heterosexual	21.7
<b>Language</b>	
Preferred language of service: English	20.9
Preferred language of service: French	23.5
<b>Indigenous identity</b>	
Indigenous	20.7
Non-Indigenous	21.5
<b>Immigrant</b>	
Immigrants	17.3
Non-immigrants	21.8
<b>Education level</b>	
High school or less	22.1
Postsecondary	21.0
<b>Household income</b>	
Less than \$25,000	24.4
\$25,000 to less than \$60,000	22.8

	Year 2020
\$60,000 or more	19.8
<hr/>	
<b>Persons with a disability</b>	
Without disability	16.3
With disability	37.9

## About

This indicator is the percentage of citizens who reported that they have required a diagnostic test (MRIs, CAT Scans or angiographies) provided in a non-emergency situation in the last 12 months.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "1 or more" by the number of respondents who answered "0 to 100" to the question: In the past 12 months, how many times have you required one of these tests: MRIs, CAT Scans and angiographies provided in a non-emergency situation?

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	NBHC code
%	PH_ACCOA_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size