

## Citizens who reported that they have required a diagnostic test (MRIs, CAT Scans or angiographies) provided in a non-emergency situation in the last 12 months

Unit : %

	Year 2020
<b>Province</b>	
New Brunswick	21.4
<b>Health zones</b>	
Zone 1 - Moncton and South-East Area	24.6
Zone 2 - Fundy Shore and Saint John Area	19.3
Zone 3 - Fredericton and River Valley Area	18.0
Zone 4 - Madawaska and North-West Area	26.0
Zone 5 - Restigouche Area	30.0
Zone 6 - Bathurst and Acadian Peninsula Area	21.8
Zone 7 - Miramichi Area	17.4
<b>Communities</b>	
Bathurst, Beresford, Petit-Rocher Area	23.3
Bouctouche, Richibucto, Saint-Antoine Area	26.5
Campbellton, Atholville, Tide Head Area	29.3
Caraquet, Paquetville, Bertrand Area	19.9
Dalhousie, Balmoral, Belledune Area	30.6
Dieppe and Memramcook	21.5
Douglas, Saint Marys, Doaktown Area	11.9
Edmundston, Rivière-Verte, Lac Baker Area	26.5
Florenceville-Bristol, Woodstock, Wakefield Area	21.7
Fredericton	17.5

	<b>Year 2020</b>
Grand Bay-Westfield, Westfield, Greenwich Area	<b>22.6</b>
Grand Falls, Saint-Léonard, Drummond Area	<b>27.3</b>
Hillsborough, Riverside-Albert, Alma Area	<b>21.3</b>
Kedgwick, Saint-Quentin and Grimmer	<b>20.0</b>
Minto, Chipman, Cambridge-Narrows Area	<b>21.6</b>
Miramichi, Rogersville, Blackville Area	<b>17.0</b>
Moncton	<b>25.8</b>
Nackawic, McAdam, Canterbury Area	<b>16.2</b>
Neguac, Alnwick, Esgenoopetitj Area	<b>16.6</b>
New Maryland, Kingsclear, Lincoln Area	<b>16.1</b>
Oromocto, Gagetown, Fredericton Junction Area	<b>18.8</b>
Perth-Andover, Plaster Rock, Tobique Area	<b>22.6</b>
Quispamsis, Rothesay, Hampton Area	<b>16.9</b>
Riverview and Coverdale	<b>23.8</b>
Sackville, Dorchester, Port Elgin Area	<b>26.1</b>
Saint John, Simonds and Musquash	<b>19.7</b>
Salisbury and Petitcodiac	<b>25.5</b>
Shediac, Beaubassin East and Cap-Pelé	<b>23.4</b>
Shippagan, Lamèque, Inkerman Area	<b>19.7</b>
St. George, Grand Manan, Blacks Harbour Area	<b>21.6</b>
St. Stephen, Saint Andrews, Campobello Island Area	<b>24.5</b>
Sussex, Norton, Sussex Corner Area	<b>19.2</b>
Tracadie and Saint-Isidore	<b>21.8</b>

## Age

	Year 2020
18-64	18.9
65 and over	28.6
<b>Sex at birth</b>	
Female	22.4
Male	20.5
<b>Sexual identity</b>	
Minority sexual identity	16.2
Heterosexual	21.7
<b>Language</b>	
Preferred language of service: English	20.9
Preferred language of service: French	23.5
<b>Indigenous identity</b>	
Indigenous	20.7
Non-Indigenous	21.5
<b>Immigrant</b>	
Immigrants	17.3
Non-immigrants	21.8
<b>Education level</b>	
High school or less	22.1
Postsecondary	21.0
<b>Household income</b>	
Less than \$25,000	24.4
\$25,000 to less than \$60,000	22.8

	Year 2020
\$60,000 or more	19.8
<b>Persons with a disability</b>	
Without disability	16.3
With disability	37.9

About

This indicator is the percentage of citizens who reported that they have required a diagnostic test (MRIs, CAT Scans or angiographies) provided in a non-emergency situation in the last 12 months.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is calculated by dividing the number of respondents who answered "1 or more" by the number of respondents who answered "0 to 100" to the question: In the past 12 months, how many times have you required one of these tests: MRIs, CAT Scans and angiographies provided in a non-emergency situation?

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey’s response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	NBHC code
%	PH_ACCOA_1

Caption

n/a = Not applicable / not available  
S = Data suppressed due to confidentiality requirements and/or small sample size