

Women who reported having had 4 or more drinks on one occasion at least once per month in the past 12 months

Unit : %

	Year 2020
Province	
New Brunswick	20.0
Health zones	
Zone 1 - Moncton and South-East Area	21.4
Zone 2 - Fundy Shore and Saint John Area	20.9
Zone 3 - Fredericton and River Valley Area	19.2
Zone 4 - Madawaska and North-West Area	19.9
Zone 5 - Restigouche Area	21.9
Zone 6 - Bathurst and Acadian Peninsula Area	19.4
Zone 7 - Miramichi Area	17.4
Communities	
Bathurst, Beresford, Petit-Rocher Area	19.1
Bouctouche, Richibucto, Saint-Antoine Area	19.0
Campbellton, Atholville, Tide Head Area	16.9
Caraquet, Paquetville, Bertrand Area	20.7
Dalhousie, Balmoral, Belledune Area	20.9
Dieppe and Memramcook	20.4
Douglas, Saint Marys, Doaktown Area	16.2
Edmundston, Rivière-Verte, Lac Baker Area	19.0
Florenceville-Bristol, Woodstock, Wakefield Area	16.2
Fredericton	18.0
Grand Bay-Westfield, Westfield, Greenwich Area	24.1

	Year 2020
Grand Falls, Saint-Léonard, Drummond Area	19.5
Hillsborough, Riverside-Albert, Alma Area	24.8
Kedgwick, Saint-Quentin and Grimmer	25.2
Minto, Chipman, Cambridge-Narrows Area	23.1
Miramichi, Rogersville, Blackville Area	19.3
Moncton	21.5
Nackawic, McAdam, Canterbury Area	20.3
Neguac, Alnwick, Esgenoopetitj Area	21.1
New Maryland, Kingsclear, Lincoln Area	19.9
Oromocto, Gagetown, Fredericton Junction Area	28.3
Perth-Andover, Plaster Rock, Tobique Area	14.1
Quispamsis, Rothesay, Hampton Area	21.1
Riverview and Coverdale	22.2
Sackville, Dorchester, Port Elgin Area	17.9
Saint John, Simonds and Musquash	18.5
Salisbury and Petitcodiac	19.3
Shediac, Beaubassin East and Cap-Pelé	23.9
Shippagan, Lamèque, Inkerman Area	18.5
St. George, Grand Manan, Blacks Harbour Area	16.7
St. Stephen, Saint Andrews, Campobello Island Area	17.7
Sussex, Norton, Sussex Corner Area	15.9
Tracadie and Saint-Isidore	17.5
Age	
18-64	25.1

	Year 2020
65 and over	9.1
<hr/>	
Sex at birth	
Female	21.2
Male	n/a
<hr/>	
Sexual identity	
Minority sexual identity	25.2
Heterosexual	21.2
<hr/>	
Language	
Preferred language of service: English	20.3
Preferred language of service: French	21.2
<hr/>	
Indigenous identity	
Indigenous	27.7
Non-Indigenous	21.1
<hr/>	
Immigrant	
Immigrants	14.4
Non-immigrants	20.5
<hr/>	
Education level	
High school or less	18.2
Postsecondary	22.1
<hr/>	
Household income	
Less than \$25,000	15.8
\$25,000 to less than \$60,000	19.5
\$60,000 or more	24.0

Year
2020

Persons with a disability

Without disability	22.0
With disability	14.3

About

This indicator is the percentage of women who reported having had 4 or more drinks on one occasion at least once per month in the past 12 months.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is based on respondents who are women . This indicator is calculated by dividing the number of respondents who answered "once a month, 2 to 3 times a month, once a week, 2 to 5 times a week, daily or almost daily" by the number of respondents who answered "I have never done this, I did not have 5 (for men)/4 (for women) or more drinks on one occasion in the last 12 months, less than once a month, once a month, 2 to 3 times a month, once a week, 2 to 5 times a week or daily or almost daily" to the question: How often in the past 12 months have you had, 4 for women and 5 for men, or more drinks on one occasion?

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Lower is better	PH_ALC01_2

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size