

## Citizens who reported that they have been diagnosed or treated for anxiety

Unit : %

	Year 2023	Year 2022	Year 2020	Year 2017
<b>Province</b>				
New Brunswick	24.6	25.6	19.2	17.0
<b>Health zones</b>				
Zone 1 - Moncton and South-East Area	25.9	26.2	20.3	17.2
Zone 2 - Fundy Shore and Saint John Area	23.7	24.7	19.8	16.8
Zone 3 - Fredericton and River Valley Area	25.7	26.8	18.9	18.5
Zone 4 - Madawaska and North-West Area	16.8	23.0	17.5	12.7
Zone 5 - Restigouche Area	22.1	24.4	19.6	15.4
Zone 6 - Bathurst and Acadian Peninsula Area	23.9	25.8	18.1	16.5
Zone 7 - Miramichi Area	27.1	23.0	16.8	17.4
<b>Communities</b>				
Bathurst, Beresford, Petit-Rocher Area	n/a	n/a	20.6	17.7
Bouctouche, Richibucto, Saint-Antoine Area	n/a	n/a	17.0	16.2
Campbellton, Atholville, Tide Head Area	n/a	n/a	19.9	15.3
Caraquet, Paquetville, Bertrand Area	n/a	n/a	16.1	11.5
Dalhousie, Balmoral, Belledune Area	n/a	n/a	19.3	15.4
Dieppe and Memramcook	n/a	n/a	19.0	14.3
Douglas, Saint Marys, Doaktown Area	n/a	n/a	22.6	18.4
Edmundston, Rivière-Verte, Lac Baker Area	n/a	n/a	16.4	13.3
Florenceville-Bristol, Woodstock, Wakefield Area	n/a	n/a	17.3	18.1
Fredericton	n/a	n/a	18.5	18.9
Grand Falls, Saint-Léonard, Drummond Area	n/a	n/a	19.9	11.6
Hillsborough, Riverside-Albert, Alma Area	n/a	n/a	21.3	14.5

	Year 2023	Year 2022	Year 2020	Year 2017
Kedgwick, Saint-Quentin and Grimmer	n/a	n/a	16.1	12.6
Minto, Chipman, Cambridge-Narrows Area	n/a	n/a	13.7	17.8
Miramichi, Rogersville, Blackville Area	n/a	n/a	17.0	16.8
Moncton	n/a	n/a	21.0	16.9
Nackawic, McAdam, Canterbury Area	n/a	n/a	17.9	17.1
Neguac, Alnwick, Esgenoopetitj Area	n/a	n/a	15.6	20.6
New Maryland, Kingsclear, Lincoln Area	n/a	n/a	19.2	16.9
Oromocto, Gagetown, Fredericton Junction Area	n/a	n/a	22.7	21.3
Perth-Andover, Plaster Rock, Tobique Area	n/a	n/a	18.4	18.5
Quispamsis, Rothesay, Hampton Area	n/a	n/a	12.3	14.6
Riverview and Coverdale	n/a	n/a	22.2	22.1
Sackville, Dorchester, Port Elgin Area	n/a	n/a	20.7	21.0
Saint John, Simonds and Musquash	n/a	n/a	24.2	20.3
Salisbury and Petitcodiac	n/a	n/a	13.6	11.9
Shediac, Beaubassin East and Cap-Pelé	n/a	n/a	21.4	17.7
Shippagan, Lamèque, Inkerman Area	n/a	n/a	14.8	13.3
St. George, Grand Manan, Blacks Harbour Area	n/a	n/a	19.7	13.8
St. Stephen, Saint Andrews, Campobello Island Area	n/a	n/a	17.9	13.1
Sussex, Norton, Sussex Corner Area	n/a	n/a	20.8	14.2
Tracadie and Saint-Isidore	n/a	n/a	17.3	20.6
<b>Age</b>				
18-64	27.8	28.5	21.3	18.4
65 and over	15.9	17.8	13.5	12.5

**Gender**

	Year 2023	Year 2022	Year 2020	Year 2017
Female	30.0	30.8	n/a	n/a
Male	18.4	20.3	n/a	n/a
<b>2SLGBTQIA+ status</b>				
2SLGBTQIA+	47.5	48.4	41.8	n/a
<b>Language</b>				
Most comfortable in English	24.9	n/a	n/a	n/a
Most comfortable in French	22.3	n/a	n/a	n/a
Comfortable in both English and French	27.9	n/a	n/a	n/a
<b>Indigenous identity</b>				
Indigenous	37.4	47.7	27.5	22.6
<b>Immigrant</b>				
Immigrants	16.4	20.2	12.3	11.0
<b>Education level</b>				
High school or less	25.9	26.8	21.3	19.0
Postsecondary	24.2	24.9	18.1	15.6
<b>Disability or special need</b>				
Disability or special need	49.0	n/a	n/a	n/a
<b>Household income</b>				
Less than \$30,000	30.1	n/a	n/a	n/a
\$30,000 to less than \$60,000	26.6	n/a	n/a	n/a
\$60,000 or more	22.4	n/a	n/a	n/a
<b>Racialized groups</b>				
Racialized groups	16.1	n/a	n/a	n/a

## About

This indicator is the percentage of citizens who reported that they have been diagnosed or treated for anxiety.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Has any health professional ever diagnosed you with or treated you for any of the following chronic health conditions: n) Anxiety

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Lower is better	PH_CHCAN_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size