

## Citizens [with a family doctor and who were a patient overnight in a hospital in the last 12 months and who saw their family doctor afterwards] who reported that their family doctor seemed informed about the care they needed after their hospital stay

Unit : %

	Year 2020	Year 2017
<b>Province</b>		
New Brunswick	88.2	90.3
<b>Health zones</b>		
Zone 1 - Moncton and South-East Area	79.7	88.6
Zone 2 - Fundy Shore and Saint John Area	92.2	89.4
Zone 3 - Fredericton and River Valley Area	93.8	92.6
Zone 4 - Madawaska and North-West Area	88.7	93.8
Zone 5 - Restigouche Area	91.3	84.9
Zone 6 - Bathurst and Acadian Peninsula Area	91.9	92.7
Zone 7 - Miramichi Area	91.0	84.2
<b>Communities</b>		
Bathurst, Beresford, Petit-Rocher Area	S	96.3
Bouctouche, Richibucto, Saint-Antoine Area	83.2	94.5
Campbellton, Atholville, Tide Head Area	S	86.9
Caraquet, Paquetville, Bertrand Area	S	84.4
Dalhousie, Balmoral, Belledune Area	S	S
Dieppe and Memramcook	S	93.4
Douglas, Saint Marys, Doaktown Area	S	S
Edmundston, Rivière-Verte, Lac Baker Area	82.5	96.2
Florenceville-Bristol, Woodstock, Wakefield Area	93.9	S

	Year 2020	Year 2017
Fredericton	<b>96.6</b>	<b>95.6</b>
Grand Bay-Westfield, Westfield, Greenwich Area	S	S
Grand Falls, Saint-Léonard, Drummond Area	<b>96.2</b>	<b>89.7</b>
Hillsborough, Riverside-Albert, Alma Area	S	S
Kedgwick, Saint-Quentin and Grimmer	S	S
Minto, Chipman, Cambridge-Narrows Area	S	S
Miramichi, Rogersville, Blackville Area	S	<b>86.7</b>
Moncton	<b>69.1</b>	<b>86.1</b>
Nackawic, McAdam, Canterbury Area	S	S
Neguac, Alnwick, Esgenoopetitj Area	S	S
New Maryland, Kingsclear, Lincoln Area	S	S
Oromocto, Gagetown, Fredericton Junction Area	S	<b>100.0</b>
Perth-Andover, Plaster Rock, Tobique Area	S	S
Quispamsis, Rothesay, Hampton Area	<b>97.9</b>	<b>82.6</b>
Riverview and Coverdale	<b>73.4</b>	<b>83.0</b>
Sackville, Dorchester, Port Elgin Area	S	S
Saint John, Simonds and Musquash	<b>94.4</b>	<b>92.0</b>
Salisbury and Petitcodiac	S	S
Shediac, Beaubassin East and Cap-Pelé	S	<b>94.1</b>
Shippagan, Lamèque, Inkerman Area	S	S
St. George, Grand Manan, Blacks Harbour Area	S	S
St. Stephen, Saint Andrews, Campobello Island Area	S	S
Sussex, Norton, Sussex Corner Area	<b>85.6</b>	<b>91.5</b>
Tracadie and Saint-Isidore	S	<b>91.0</b>

	Year 2020	Year 2017
<b>Age</b>		
18-64	85.1	88.7
65 and over	93.0	93.0
<b>Sex at birth</b>		
Female	85.8	88.9
Male	91.4	91.8
<b>Sexual identity</b>		
Minority sexual identity	82.2	n/a
Heterosexual	88.4	n/a
<b>Language</b>		
Preferred language of service: English	88.5	89.8
Preferred language of service: French	88.1	90.8
<b>Indigenous identity</b>		
Indigenous	S	87.5
Non-Indigenous	87.9	90.4
<b>Immigrant</b>		
Immigrants	88.8	79.3
Non-immigrants	88.1	90.7
<b>Education level</b>		
High school or less	89.5	90.8
Postsecondary	87.2	89.7
<b>Household income</b>		
Less than \$25,000	92.7	88.7

	Year 2020	Year 2017
\$25,000 to less than \$60,000	92.3	91.5
\$60,000 or more	81.1	89.3
<b>Persons with a disability</b>		
Without disability	87.6	91.2
With disability	88.8	88.9

## About

This indicator is the percentage of citizens [with a family doctor and who were a patient overnight in a hospital in the last 12 months and who saw their family doctor afterwards] who reported that their family doctor seemed informed about the care they needed after their hospital stay.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is based on respondents who have a family doctor and who were a patient overnight in a hospital in the last 12 months and who saw their family doctor afterwards . This indicator is calculated by dividing the number of respondents who answered " yes" by the number of respondents who answered "yes or no" to the question: Did your family doctor or nurse practitioner seem informed and up-to-date about the plan for follow-up care?

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Higher is better	PH_CRDFC_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size