

## Citizens who reported that the health of family members contributes a lot to feelings of stress in the last 12 months

Unit : %

	Year 2020	Year 2017	Year 2014
<b>Province</b>			
New Brunswick	40.2	36.2	38.1
<b>Health zones</b>			
Zone 1 - Moncton and South-East Area	41.8	35.4	37.1
Zone 2 - Fundy Shore and Saint John Area	38.6	34.5	37.8
Zone 3 - Fredericton and River Valley Area	39.6	36.5	36.6
Zone 4 - Madawaska and North-West Area	38.7	37.8	38.5
Zone 5 - Restigouche Area	37.7	42.0	38.5
Zone 6 - Bathurst and Acadian Peninsula Area	40.7	38.5	43.1
Zone 7 - Miramichi Area	38.9	36.7	40.4
<b>Communities</b>			
Bathurst, Beresford, Petit-Rocher Area	45.7	42.2	44.0
Bouctouche, Richibucto, Saint-Antoine Area	37.7	34.1	37.9
Campbellton, Atholville, Tide Head Area	38.8	43.0	38.9
Caraquet, Paquetville, Bertrand Area	37.1	34.3	37.3
Dalhousie, Balmoral, Belledune Area	36.6	41.1	38.1
Dieppe and Memramcook	42.6	35.7	33.5
Douglas, Saint Marys, Doaktown Area	39.4	38.8	39.0
Edmundston, Rivière-Verte, Lac Baker Area	36.9	38.0	41.7
Florenceville-Bristol, Woodstock, Wakefield Area	38.8	32.0	35.7
Fredericton	40.2	36.3	35.8
Grand Bay-Westfield, Westfield, Greenwich Area	46.0	36.0	39.5

	Year 2020	Year 2017	Year 2014
Grand Falls, Saint-Léonard, Drummond Area	41.0	38.7	34.5
Hillsborough, Riverside-Albert, Alma Area	38.8	31.4	31.3
Kedgwick, Saint-Quentin and Grimmer	40.8	34.4	33.7
Minto, Chipman, Cambridge-Narrows Area	42.9	42.4	36.7
Miramichi, Rogersville, Blackville Area	38.4	36.4	40.7
Moncton	42.9	37.1	38.0
Nackawic, McAdam, Canterbury Area	39.1	38.9	36.1
Neguac, Alnwick, Esgenoopetitj Area	41.2	38.1	38.8
New Maryland, Kingsclear, Lincoln Area	42.2	34.5	35.6
Oromocto, Gagetown, Fredericton Junction Area	36.2	40.2	38.3
Perth-Andover, Plaster Rock, Tobique Area	33.8	36.9	39.8
Quispamsis, Rothesay, Hampton Area	39.5	35.2	31.7
Riverview and Coverdale	41.9	37.3	38.1
Sackville, Dorchester, Port Elgin Area	42.5	35.5	42.4
Saint John, Simonds and Musquash	37.5	34.8	41.8
Salisbury and Petitcodiac	41.9	32.1	33.7
Shediac, Beaubassin East and Cap-Pelé	40.7	31.6	36.9
Shippagan, Lamèque, Inkerman Area	31.9	32.5	42.8
St. George, Grand Manan, Blacks Harbour Area	32.2	33.6	43.0
St. Stephen, Saint Andrews, Campobello Island Area	39.6	29.7	36.7
Sussex, Norton, Sussex Corner Area	39.4	34.7	31.4
Tracadie and Saint-Isidore	41.5	39.6	47.3
<b>Age</b>			
18-64	41.8	37.4	39.2

	Year 2020	Year 2017	Year 2014
65 and over	33.8	32.7	33.8
<b>Sex at birth</b>			
Female	45.2	41.2	43.0
Male	34.0	31.0	32.8
<b>Sexual identity</b>			
Minority sexual identity	45.6	n/a	n/a
Heterosexual	40.0	n/a	n/a
<b>Language</b>			
Preferred language of service: English	40.4	36.0	37.9
Preferred language of service: French	38.3	37.9	39.5
<b>Indigenous identity</b>			
Indigenous	46.0	41.7	47.8
Non-Indigenous	40.0	36.0	37.8
<b>Immigrant</b>			
Immigrants	39.1	35.1	n/a
Non-immigrants	39.2	36.3	n/a
<b>Education level</b>			
High school or less	36.5	35.0	38.3
Postsecondary	41.5	37.1	38.1
<b>Household income</b>			
Less than \$25,000	41.1	39.6	42.1
\$25,000 to less than \$60,000	39.4	36.5	39.5
\$60,000 or more	39.3	35.3	36.0

	Year 2020	Year 2017	Year 2014
<b>Persons with a disability</b>			
Without disability	36.8	33.9	35.1
With disability	48.9	44.0	48.6

## About

This indicator is the percentage of citizens who reported that the health of family members contributes a lot to feelings of stress in the last 12 months.

## Source

Primary Health Survey and Primary Care Survey

## Calculations

This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: Thinking about stress in your day-to-day life within the last 12 months, please tell me if the following things have contributed a lot to feelings of stress you may have: n) Health of family members

## Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

---

Unit	Interpretation	NBHC code
%	Lower is better	PH_STRHF_1

## Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size