

Citizens [with diabetes, heart disease, stroke or high blood pressure] who had a test or measurement for body weight in the last 12 months

Unit : %

	Year 2020	Year 2017	Year 2014	Year 2011
Province				
New Brunswick	53.4	54.1	59.3	64.3
Health zones				
Zone 1 - Moncton and South-East Area	52.3	51.4	60.0	62.9
Zone 2 - Fundy Shore and Saint John Area	55.9	57.8	55.0	67.7
Zone 3 - Fredericton and River Valley Area	51.1	53.0	59.4	63.1
Zone 4 - Madawaska and North-West Area	53.6	56.5	63.5	63.5
Zone 5 - Restigouche Area	51.2	52.8	63.7	60.8
Zone 6 - Bathurst and Acadian Peninsula Area	53.3	55.4	59.5	64.8
Zone 7 - Miramichi Area	56.0	52.5	62.9	64.0
Communities				
Bathurst, Beresford, Petit-Rocher Area	49.4	55.0	53.5	60.9
Bouctouche, Richibucto, Saint-Antoine Area	55.8	49.6	53.7	59.1
Campbellton, Atholville, Tide Head Area	56.0	50.4	58.4	58.2
Caraquet, Paquetville, Bertrand Area	49.9	51.3	61.3	64.0
Dalhousie, Balmoral, Belledune Area	47.6	55.0	68.1	63.2
Dieppe and Memramcook	52.6	62.0	61.7	62.5
Douglas, Saint Marys, Doaktown Area	45.6	56.1	68.9	61.6
Edmundston, Rivière-Verte, Lac Baker Area	50.9	60.3	66.6	66.1
Florenceville-Bristol, Woodstock, Wakefield Area	42.3	56.0	62.7	61.6
Fredericton	54.2	53.6	56.4	64.9
Grand Bay-Westfield, Westfield, Greenwich Area	67.3	58.5	55.9	67.0

	Year 2020	Year 2017	Year 2014	Year 2011
Grand Falls, Saint-Léonard, Drummond Area	54.7	50.0	57.9	59.4
Hillsborough, Riverside-Albert, Alma Area	66.3	71.2	68.7	78.9
Kedgwick, Saint-Quentin and Grimmer	67.6	59.3	S	63.5
Minto, Chipman, Cambridge-Narrows Area	50.9	43.2	64.0	61.7
Miramichi, Rogersville, Blackville Area	55.9	54.6	68.2	66.2
Moncton	52.0	46.8	59.6	60.6
Nackawic, McAdam, Canterbury Area	45.9	52.7	54.9	57.7
Neguac, Alnwick, Esgenoopetitj Area	56.2	42.9	41.8	55.5
New Maryland, Kingsclear, Lincoln Area	55.5	46.0	58.4	67.1
Oromocto, Gagetown, Fredericton Junction Area	52.5	53.9	49.6	57.5
Perth-Andover, Plaster Rock, Tobique Area	61.4	62.1	64.0	64.5
Quispamsis, Rothesay, Hampton Area	60.9	59.9	57.8	71.5
Riverview and Coverdale	47.7	47.1	53.0	68.5
Sackville, Dorchester, Port Elgin Area	58.7	53.8	83.8	71.8
Saint John, Simonds and Musquash	55.2	58.5	57.0	67.7
Salisbury and Petitcodiac	58.2	42.1	51.1	57.9
Shediac, Beaubassin East and Cap-Pelé	48.0	55.7	63.2	60.9
Shippagan, Lamèque, Inkerman Area	62.6	69.9	74.5	74.5
St. George, Grand Manan, Blacks Harbour Area	50.3	56.3	49.5	64.4
St. Stephen, Saint Andrews, Campobello Island Area	47.1	48.8	46.1	59.5
Sussex, Norton, Sussex Corner Area	54.5	59.6	54.4	69.2
Tracadie and Saint-Isidore	52.7	49.4	55.9	61.9
Age				
18-64	53.6	54.1	59.6	64.8

	Year 2020	Year 2017	Year 2014	Year 2011
65 and over	52.1	54.2	58.8	63.6
Sex at birth				
Female	52.5	53.7	58.1	63.7
Male	53.2	54.6	60.4	64.9
Sexual identity				
Minority sexual identity	57.1	n/a	n/a	n/a
Heterosexual	53.5	n/a	n/a	n/a
Language				
Preferred language of service: English	52.7	53.4	59.3	65.3
Preferred language of service: French	53.2	55.7	59.4	65.2
Indigenous identity				
Indigenous	50.6	48.5	62.2	68.2
Non-Indigenous	53.5	54.4	59.2	64.2
Immigrant				
Immigrants	49.9	50.8	n/a	n/a
Non-immigrants	52.6	54.2	n/a	n/a
Education level				
High school or less	52.8	52.6	56.4	63.9
Postsecondary	52.9	55.6	61.7	64.8
Household income				
Less than \$25,000	52.4	56.6	58.5	64.7
\$25,000 to less than \$60,000	51.7	54.4	59.5	63.7
\$60,000 or more	54.3	54.0	59.7	66.5

	Year 2020	Year 2017	Year 2014	Year 2011
Persons with a disability				
Without disability	49.3	50.6	55.0	n/a
With disability	58.9	60.1	66.8	n/a

About

This indicator is the percentage of citizens [with diabetes, heart disease, stroke or high blood pressure] who had a test or measurement for body weight in the last 12 months.

Source

Primary Health Survey and Primary Care Survey

Calculations

This indicator is based on respondents who have diabetes, heart disease, stroke or high blood pressure . This indicator is calculated by dividing the number of respondents who answered "yes" by the number of respondents who answered "yes or no" to the question: In the past 12 months, did you get the following tests or measurements from a health professional: c) Body weight measurement

Notes

The 2020 edition of the Primary Health Survey (PHS) was conducted during the COVID-19 pandemic. While the pandemic did not influence the survey's response rate, NBHC had to assess the impact of surveying during the pandemic. Accordingly, advanced statistical analyses were performed to allow for comparison between the results obtained in 2020 and those obtained in previous PHS cycles. Despite these analyses, users are advised to use the PHS 2020 data with caution, especially when creating estimates for small sub-populations or when comparing it to other PHS editions.

Unit	Interpretation	NBHC code
%	Higher is better	PH_TSTBW_1

Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size