

## [DISCONTINUED] Students in grades 6 to 12 who report eating one or more servings of non-nutritious foods the day before the survey

Unit : %

Academic Year  
2018-2019

### Province

New Brunswick	<b>84.8</b>
---------------	-------------

### Health zones

Zone 1 - Moncton and South-East Area	<b>84.0</b>
--------------------------------------	-------------

Zone 2 - Fundy Shore and Saint John Area	<b>85.6</b>
--	-------------

Zone 3 - Fredericton and River Valley Area	<b>84.7</b>
--	-------------

Zone 4 - Madawaska and North-West Area	<b>85.9</b>
--	-------------

Zone 5 - Restigouche Area	<b>82.9</b>
---------------------------	-------------

Zone 6 - Bathurst and Acadian Peninsula Area	<b>84.6</b>
--	-------------

Zone 7 - Miramichi Area	<b>86.5</b>
-------------------------	-------------

### Communities

Bathurst, Beresford, Petit-Rocher Area	<b>85.7</b>
--	-------------

Bouctouche, Richibucto, Saint-Antoine Area	<b>84.1</b>
--	-------------

Campbellton, Atholville, Tide Head Area	<b>80.7</b>
---	-------------

Caraquet, Paquetville, Bertrand Area	<b>81.0</b>
--------------------------------------	-------------

Dalhousie, Balmoral, Belledune Area	<b>86.1</b>
-------------------------------------	-------------

Dieppe and Memramcook	<b>85.8</b>
-----------------------	-------------

Douglas, Saint Marys, Doaktown Area	<b>86.5</b>
-------------------------------------	-------------

Edmundston, Rivière-Verte, Lac Baker Area	<b>85.7</b>
---	-------------

Florenceville-Bristol, Woodstock, Wakefield Area	<b>85.7</b>
--	-------------

Fredericton	<b>84.0</b>
-------------	-------------

Grand Bay-Westfield, Westfield, Greenwich Area	<b>89.4</b>
--	-------------

	Academic Year 2018-2019
Grand Falls, Saint-Léonard, Drummond Area	86.6
Hillsborough, Riverside-Albert, Alma Area	86.6
Kedgwick, Saint-Quentin and Grimmer	86.0
Minto, Chipman, Cambridge-Narrows Area	83.2
Miramichi, Rogersville, Blackville Area	86.7
Moncton	82.5
Nackawic, McAdam, Canterbury Area	85.2
Neguac, Alnwick, Esgenoopetitj Area	85.2
New Maryland, Kingsclear, Lincoln Area	82.7
Oromocto, Gagetown, Fredericton Junction Area	85.6
Perth-Andover, Plaster Rock, Tobique Area	86.1
Quispamsis, Rothesay, Hampton Area	84.0
Riverview and Coverdale	84.8
Sackville, Dorchester, Port Elgin Area	86.2
Saint John, Simonds and Musquash	85.8
Salisbury and Petitcodiac	86.3
Shediac, Beaubassin East and Cap-Pelé	84.0
Shippagan, Lamèque, Inkerman Area	83.2
St. George, Grand Manan, Blacks Harbour Area	82.3
St. Stephen, Saint Andrews, Campobello Island Area	90.0
Sussex, Norton, Sussex Corner Area	86.6
Tracadie and Saint-Isidore	85.3
<b>School districts</b>	
Anglophone East School District	84.0

	Academic Year 2018-2019
Anglophone North School District	85.9
Anglophone South School District	85.5
Anglophone West School District	84.9
Anglophone sector	85.0
District scolaire francophone Nord-Est	83.7
District scolaire francophone Nord-Ouest	85.9
District scolaire francophone Sud	84.1
Francophone sector	84.3
<b>Grades</b>	
Grades 6 to 8	86.0
Grades 9 to 12	84.0

### About

THIS INDICATOR HAS BEEN DISCONTINUED AND REPLACED WITH "SH\_EHA03\_1". This indicator is the percentage of students in grades 6 to 12 who report eating one or more servings of non-nutritious foods the day before the survey, based on their responses to 4 individual questions in the survey.

### Source

Student Wellness and Education Survey - Grades 6-12

### Calculations

This indicator adds the responses to the following 4 individual questions: 'Yesterday, how many servings of french fries or other fried potatoes did you eat? (e.g., wedges, hash browns, poutine)', 'Yesterday, how many servings of snack chips did you eat? (e.g., potato chips, tortilla chips, corn chips, cheese sticks, or other snack chips)', 'Yesterday, how many servings of candy or chocolate bars did you eat? Include: Fruit Roll-ups® or other fruit flavoured candies, Gummie Bears®, suckers and sours' and 'Yesterday, how many servings of doughnuts, cookies, brownies, pies, frozen treats, cakes and other sweets did you eat? Include: ice cream, frozen yogurt, Popsicle®'. The response options for these 4 individual questions are: none, 1 serving, 2 servings, 3 servings, 4 servings, 5 servings and 6+ servings. This indicator is calculated by dividing the number of respondents who have a total combined response of '1 or more servings' by the number of respondents who answered at least 1 of the 4 individual questions.

---

Unit	Interpretation	NBHC code
%	Lower is better	SH_EATNN_1

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size