

## Mortality from treatable causes (Age-standardized rate)

Unit : Rate per 100,000 population

	Years 2019 to 2021	Years 2018 to 2020	Years 2017 to 2019	Years 2016 to 2018
<b>Province</b>				
New Brunswick	<b>67.3</b>	<b>69.0</b>	<b>70.8</b>	<b>72.3</b>
<b>Health zones</b>				
Zone 1 - Moncton and South-East Area	<b>62.8</b>	<b>60.6</b>	<b>60.3</b>	<b>60.1</b>
Zone 2 - Fundy Shore and Saint John Area	<b>69.5</b>	<b>72.4</b>	<b>75.0</b>	<b>81.3</b>
Zone 3 - Fredericton and River Valley Area	<b>69.5</b>	<b>73.2</b>	<b>74.7</b>	<b>71.6</b>
Zone 4 - Madawaska and North-West Area	<b>77.5</b>	<b>85.0</b>	<b>86.3</b>	<b>82.9</b>
Zone 5 - Restigouche Area	<b>80.5</b>	<b>83.1</b>	<b>80.5</b>	<b>78.5</b>
Zone 6 - Bathurst and Acadian Peninsula Area	<b>57.5</b>	<b>57.2</b>	<b>65.5</b>	<b>72.6</b>
Zone 7 - Miramichi Area	<b>73.2</b>	<b>79.8</b>	<b>81.1</b>	<b>83.1</b>

## About

Premature deaths that could potentially have been avoided through secondary or tertiary prevention. Mortality from treatable causes is a subset of potentially avoidable mortality.

## Source

Premature and potentially avoidable mortality, three-year period

## Calculations

Not available

Unit	Interpretation	NBHC code
Rate per 100,000 population	Lower is better	STATC-U-003

### Caption

n/a = Not applicable / not available

S = Data suppressed due to confidentiality requirements and/or small sample size